



JUST TESTING

Site: <https://cloud.tniad.mil.id>

Generated on Thu, 16 Feb 2023 01:56:26

## Summary of Alerts

Risk Level	Number of Alerts
High	1
Medium	6
Low	3
Informational	4

## Alerts

Name	Risk Level	Number of Instances
<a href="#">SQL Injection</a>	High	1
<a href="#">Application Error Disclosure</a>	Medium	1
<a href="#">CSP: Wildcard Directive</a>	Medium	8
<a href="#">CSP: style-src unsafe-inline</a>	Medium	20
<a href="#">Content Security Policy (CSP) Header Not Set</a>	Medium	1
<a href="#">Hidden File Found</a>	Medium	1
<a href="#">Vulnerable JS Library</a>	Medium	3
<a href="#">Server Leaks Version Information via "Server" HTTP Response Header Field</a>	Low	39
<a href="#">Strict-Transport-Security Header Not Set</a>	Low	37
<a href="#">Timestamp Disclosure - Unix</a>	Low	33
<a href="#">Information Disclosure - Suspicious Comments</a>	Informational	42
<a href="#">Modern Web Application</a>	Informational	6
<a href="#">Re-examine Cache-control Directives</a>	Informational	2
<a href="#">User Agent Fuzzer</a>	Informational	408

## Alert Detail

High	SQL Injection
Description	SQL injection may be possible
URL	<a href="https://cloud.tniad.mil.id/index.php/core/js/oc.js?v=6aa0d420%27+AND+%271%27%3D%271%27+--+">https://cloud.tniad.mil.id/index.php/core/js/oc.js?v=6aa0d420%27+AND+%271%27%3D%271%27+--+</a>
Method	GET
Attack	6aa0d420' AND '1'='1' --
Evidence	

Instances	1
Solution	<p>Do not trust client side input, even if there is client side validation in place.</p> <p>In general, type check all data on the server side.</p> <p>If the application uses JDBC, use PreparedStatement or CallableStatement, with parameters passed by '?'</p> <p>If the application uses ASP, use ADO Command Objects with strong type checking and parameterized queries.</p> <p>If database Stored Procedures can be used, use them.</p> <p>Do *not* concatenate strings into queries in the stored procedure, or use 'exec', 'exec immediate', or equivalent functionality!</p> <p>Do not create dynamic SQL queries using simple string concatenation.</p> <p>Escape all data received from the client.</p> <p>Apply an 'allow list' of allowed characters, or a 'deny list' of disallowed characters in user input.</p> <p>Apply the privilege of least privilege by using the least privileged database user possible.</p> <p>In particular, avoid using the 'sa' or 'db-owner' database users. This does not eliminate SQL injection, but minimizes its impact.</p> <p>Grant the minimum database access that is necessary for the application.</p>
Reference	<a href="https://cheatsheetseries.owasp.org/cheatsheets/SQL_Injection_Prevention_Cheat_Sheet.html">https://cheatsheetseries.owasp.org/cheatsheets/SQL_Injection_Prevention_Cheat_Sheet.html</a>
CWE Id	<a href="#">89</a>
WASC Id	19
Plugin Id	<a href="#">40018</a>

<b>Medium</b>	<b>Application Error Disclosure</b>
Description	This page contains an error/warning message that may disclose sensitive information like the location of the file that produced the unhandled exception. This information can be used to launch further attacks against the web application. The alert could be a false positive if the error message is found inside a documentation page.
URL	<a href="https://cloud.tniad.mil.id/core/js/dist/login.js?v=6aa0d420-11">https://cloud.tniad.mil.id/core/js/dist/login.js?v=6aa0d420-11</a>
Method	GET
Attack	
Evidence	internal error
Instances	1
Solution	Review the source code of this page. Implement custom error pages. Consider implementing a mechanism to provide a unique error reference/identifier to the client (browser) while logging the details on the server side and not exposing them to the user.
Reference	
CWE Id	<a href="#">200</a>
WASC Id	13
Plugin Id	<a href="#">90022</a>

<b>Medium</b>	<b>CSP: Wildcard Directive</b>

Description	Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate cer (XSS), and data injection attacks. These attacks are used for everything from data theft to site d HTTP headers that allow website owners to declare approved sources of content that browsers CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, aud
URL	<a href="https://cloud.tniad.mil.id">https://cloud.tniad.mil.id</a>
Method	GET
Attack	
Evidence	default-src 'self'; script-src 'self' 'nonce-dTV6c2pGa1hyS0JmOHJQb2RYVEp4QjVBNVdoOHNLUmoyWm95S2FLUnpqbz06OGRTNln style-src 'self' 'unsafe-inline'; frame-src *; img-src * data: blob;; font-src 'self' data;; media-src *; c
URL	<a href="https://cloud.tniad.mil.id/">https://cloud.tniad.mil.id/</a>
Method	GET
Attack	
Evidence	default-src 'self'; script-src 'self' 'nonce-OFhqNk03WDRwS2ZXbGdSNHVSvZBwSEt1YVBxL1RkUG8xb0N3K2p3ajZxTT06d3ozTGRJT style-src 'self' 'unsafe-inline'; frame-src *; img-src * data: blob;; font-src 'self' data;; media-src *; c
URL	<a href="https://cloud.tniad.mil.id/">https://cloud.tniad.mil.id/</a>
Method	GET
Attack	
Evidence	default-src 'self'; script-src 'self' 'nonce-UE1qbktFcTBhb2NxNWVMcjFDSFN1bmNDRn14WVNmdHN4Nk5RY2ltYnlvRT06RG8zV2lze style-src 'self' 'unsafe-inline'; frame-src *; img-src * data: blob;; font-src 'self' data;; media-src *; connect-s
URL	<a href="https://cloud.tniad.mil.id/">https://cloud.tniad.mil.id/</a>
Method	GET
Attack	
Evidence	default-src 'self'; script-src 'self' 'nonce-YVVQcEJvNIZIVnpXeG8ySXZkUklnY2lsR1RzMnZnTGNMcnViNnpTSGhRRT06SUhTOV4k4VC style-src 'self' 'unsafe-inline'; frame-src *; img-src * data: blob;; font-src 'self' data;; media-src *; c
URL	<a href="https://cloud.tniad.mil.id/">https://cloud.tniad.mil.id/</a>
Method	GET
Attack	
Evidence	default-src 'self'; script-src 'self' 'nonce-ZkNuQ0JISThITThueDVQUnQ0TE9QZjNJQzdCcTJLbHQ5c0p2aUtjNzVPWT06UG5pN1k2cHN style-src 'self' 'unsafe-inline'; frame-src *; img-src * data: blob;; font-src 'self' data;; media-src *; c
URL	<a href="https://cloud.tniad.mil.id/">https://cloud.tniad.mil.id/</a>
Method	GET
Attack	
Evidence	default-src 'self'; script-src 'self' 'nonce-cFBhTjJTV2VpVVdNbZ0N0hidHpud0ZHZDBuSVFzd2RjZlIwN1B4UmRUdz06N3I3Ym4zUDd2 style-src 'self' 'unsafe-inline'; frame-src *; img-src * data: blob;; font-src 'self' data;; media-src *; c
URL	<a href="https://cloud.tniad.mil.id/index.php/login/webauthn">https://cloud.tniad.mil.id/index.php/login/webauthn</a>
Method	GET
Attack	
Evidence	default-src 'self'; script-src 'self' 'nonce-Mm9QL0ZLdXZCOU81MWR0c3JTTC9DR0JkK29CK2pMRFNyVUxEQTFFSzFIOD06azdTcmN style-src 'self' 'unsafe-inline'; frame-src *; img-src * data: blob;; font-src 'self' data;; media-src *; c
URL	<a href="https://cloud.tniad.mil.id/index.php/login/webauthn/start">https://cloud.tniad.mil.id/index.php/login/webauthn/start</a>
Method	GET

Attack	
Evidence	default-src 'self'; script-src 'self' 'nonce-YIMxYWloZGtMd1Z5TWJCUdhoEVpkL0hMTIijbGV1dHVSNmG2OVUwSzJzST06SkJvTzcxME9 style-src 'self' 'unsafe-inline'; frame-src *; img-src * data: blob:; font-src 'self' data:; media-src *; c
Instances	8
Solution	Ensure that your web server, application server, load balancer, etc. is properly configured to set
Reference	<a href="http://www.w3.org/TR/CSP2/">http://www.w3.org/TR/CSP2/</a> <a href="http://www.w3.org/TR/CSP/">http://www.w3.org/TR/CSP/</a> <a href="http://caniuse.com/#search=content+security+policy">http://caniuse.com/#search=content+security+policy</a> <a href="http://content-security-policy.com/">http://content-security-policy.com/</a> <a href="https://github.com/shapesecurity/salvation">https://github.com/shapesecurity/salvation</a> <a href="https://developers.google.com/web/fundamentals/security/csp#policy_applies_to_a_wide_variet">https://developers.google.com/web/fundamentals/security/csp#policy_applies_to_a_wide_variet</a>
CWE Id	<a href="#">693</a>
WASC Id	15
Plugin Id	<a href="#">10055</a>

Medium	CSP: style-src unsafe-inline
Description	Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate cer (XSS), and data injection attacks. These attacks are used for everything from data theft to site d HTTP headers that allow website owners to declare approved sources of content that browsers CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, aud
URL	<a href="https://cloud.tniad.mil.id">https://cloud.tniad.mil.id</a>
Method	GET
Attack	
Evidence	default-src 'self'; script-src 'self' 'nonce-dTV6c2pGa1hyS0JmOHJQb2RYVEp4QjVBNVdoOHNLUmoyWm95S2FLUnpqbz06OGRTNln style-src 'self' 'unsafe-inline'; frame-src *; img-src * data: blob:; font-src 'self' data:; media-src *; c
URL	<a href="https://cloud.tniad.mil.id/">https://cloud.tniad.mil.id/</a>
Method	GET
Attack	
Evidence	default-src 'none';base-uri 'none';manifest-src 'self';script-src 'self' blob:;style-src 'self' 'unsafe-inl openstreetmap.org;font-src 'self' data:;connect-src 'self' blob: stun.nextcloud.com:443;media-src frame-ancestors 'self' https://cloud.tniad.mil.id;worker-src 'self' blob:;form-action 'self' https://clou
URL	<a href="https://cloud.tniad.mil.id/">https://cloud.tniad.mil.id/</a>
Method	GET
Attack	
Evidence	default-src 'self'; script-src 'self' 'nonce-OFhqNk03WDRwS2ZXbGdSNHVSvzBwSEt1YVBxL1RkUG8xb0N3K2p3ajZxTT06d3ozTGRJT src 'self' 'unsafe-inline'; frame-src *; img-src * data: blob:; font-src 'self' data:; media-src *; conne
URL	<a href="https://cloud.tniad.mil.id/">https://cloud.tniad.mil.id/</a>
Method	GET
Attack	
Evidence	default-src 'self'; script-src 'self' 'nonce-UE1qbktFcTBhb2NxNWVMcjFDSFN1bmNDRn14WVNmdHN4Nk5RY2ItYnlvRT06RG8zV2lzelc 'self' 'unsafe-inline'; frame-src *; img-src * data: blob:; font-src 'self' data:; media-src *; connect-s
URL	<a href="https://cloud.tniad.mil.id/">https://cloud.tniad.mil.id/</a>
Method	GET
Attack	
Evidence	default-src 'self'; script-src 'self' 'nonce-YVVQcEJvNIZIVnpXeG8ySXZkUklNjY2lsR1RzMnZnTGNMcnViNnpTSGhRRT06SUhTOVv4VC9

	style-src 'self' 'unsafe-inline'; frame-src *; img-src * data: blob;; font-src 'self' data;; media-src *; c
URL	<a href="https://cloud.tniad.mil.id/">https://cloud.tniad.mil.id/</a>
Method	GET
Attack	
Evidence	default-src 'self'; script-src 'self' 'nonce-ZkNuQ0JISThITThueDVQUnQ0TE9QZjNJQzdCcTJLbHQ5c0p2aUtjNzVPWT06UG5pN1k2cHN src 'self' 'unsafe-inline'; frame-src *; img-src * data: blob;; font-src 'self' data;; media-src *; conne
URL	<a href="https://cloud.tniad.mil.id/">https://cloud.tniad.mil.id/</a>
Method	GET
Attack	
Evidence	default-src 'self'; script-src 'self' 'nonce-cFBhTjJTV2VpVVdNbZ0N0hIdHpud0ZHZDBuSVFzd2RjZlIwN1B4UmRUdz06N3I3Ym4zUDd2 src 'self' 'unsafe-inline'; frame-src *; img-src * data: blob;; font-src 'self' data;; media-src *; conne
URL	<a href="https://cloud.tniad.mil.id/index.php/login">https://cloud.tniad.mil.id/index.php/login</a>
Method	GET
Attack	
Evidence	default-src 'none';base-uri 'none';manifest-src 'self';script-src 'nonce-MTVGZFRdS9ITmJlcUVBZXJxMlI3b2hBanJPWHcrcmdQY2huWCtOdm1XOD06NWRSc0VqM style-src 'self' 'unsafe-inline';img-src 'self' data: blob: https://cloud.tniad.mil.id https://*.tile.openst 443;media-src 'self' blob;;frame-src 'self' https://cloud.tniad.mil.id;child-src blob: 'self';frame-ance https://cloud.tniad.mil.id
URL	<a href="https://cloud.tniad.mil.id/index.php/login">https://cloud.tniad.mil.id/index.php/login</a>
Method	GET
Attack	
Evidence	default-src 'none';base-uri 'none';manifest-src 'self';script-src 'nonce-QWJqWEXORUNHalZBYUlsM1d0enZjeFcreGh2MFirREZ6Z2tCaHpNdUQwQT06TS8zbWErZG blob;;style-src 'self' 'unsafe-inline';img-src 'self' data: blob: https://cloud.tniad.mil.id https://*.tile.o com:443;media-src 'self' blob;;frame-src 'self' https://cloud.tniad.mil.id;child-src blob: 'self';frame 'self' https://cloud.tniad.mil.id
URL	<a href="https://cloud.tniad.mil.id/index.php/login">https://cloud.tniad.mil.id/index.php/login</a>
Method	GET
Attack	
Evidence	default-src 'none';base-uri 'none';manifest-src 'self';script-src 'nonce-R1ZsZ0x0VHh1L2dZaEI3dDVodE03S3pxOWRSdW9tcnNIMmk4WmJmZnpFbz06S3h4UmFTS style-src 'self' 'unsafe-inline';img-src 'self' data: blob: https://cloud.tniad.mil.id https://*.tile.openst 443;media-src 'self' blob;;frame-src 'self' https://cloud.tniad.mil.id;child-src blob: 'self';frame-ance https://cloud.tniad.mil.id
URL	<a href="https://cloud.tniad.mil.id/index.php/login">https://cloud.tniad.mil.id/index.php/login</a>
Method	GET
Attack	
Evidence	default-src 'none';base-uri 'none';manifest-src 'self';script-src 'nonce-Sy9HWmdRdFowUWFqQ21uT2F3NHZQaHBKb25qbWpFVWdVZitXQlhmeGIwbz06R2JTb3hqI blob;;style-src 'self' 'unsafe-inline';img-src 'self' data: blob: https://cloud.tniad.mil.id https://*.tile.o com:443;media-src 'self' blob;;frame-src 'self' https://cloud.tniad.mil.id;child-src blob: 'self';frame 'self' https://cloud.tniad.mil.id
URL	<a href="https://cloud.tniad.mil.id/index.php/login">https://cloud.tniad.mil.id/index.php/login</a>
Method	GET
Attack	
Evidence	default-src 'none';base-uri 'none';manifest-src 'self';script-src 'nonce-TmFsRzBhNVNPaHpYQU84ZkpocVF2Sk9DSnIEWnpPRnFCZ21WaTlaMklxTT06Qit4M2xwZ3c

Evidence	blob::style-src 'self' 'unsafe-inline';img-src 'self' data: blob: https://cloud.tniad.mil.id https://*.tile.openstreetmap.org:443;media-src 'self' blob::frame-src 'self' https://cloud.tniad.mil.id;child-src blob: 'self';frame-ancestors 'self' https://cloud.tniad.mil.id
URL	<a href="https://cloud.tniad.mil.id/index.php/login">https://cloud.tniad.mil.id/index.php/login</a>
Method	GET
Attack	
Evidence	default-src 'none';base-uri 'none';manifest-src 'self';script-src 'nonce-TndwNFVUNEdTSGRUV2ozU05KT1o5YWorWHhKdnZabVdGSFgraDcxallZdz06QIU5SkZnaGistyle-src 'self' 'unsafe-inline';img-src 'self' data: blob: https://cloud.tniad.mil.id https://*.tile.openstreetmap.org:443;media-src 'self' blob::frame-src 'self' https://cloud.tniad.mil.id;child-src blob: 'self';frame-ancestors 'self' https://cloud.tniad.mil.id
URL	<a href="https://cloud.tniad.mil.id/index.php/login">https://cloud.tniad.mil.id/index.php/login</a>
Method	GET
Attack	
Evidence	default-src 'none';base-uri 'none';manifest-src 'self';script-src 'nonce-UFZCOEhsb2FiRDBEMIFiT3IOK2NXczBhVVVNRmxwMkpOa2N5ejFNejRvcz06RHhWTIdXeDFstyle-src 'self' 'unsafe-inline';img-src 'self' data: blob: https://cloud.tniad.mil.id https://*.tile.openstreetmap.org:443;media-src 'self' blob::frame-src 'self' https://cloud.tniad.mil.id;child-src blob: 'self';frame-ancestors 'self' https://cloud.tniad.mil.id
URL	<a href="https://cloud.tniad.mil.id/index.php/login">https://cloud.tniad.mil.id/index.php/login</a>
Method	GET
Attack	
Evidence	default-src 'none';base-uri 'none';manifest-src 'self';script-src 'nonce-UThtdXE0MGNJWGJYK01OMWFrZWhjMmZSOW5tbDRtcm95ekNCUm9zZ0FsVT06Y1I5ZjdMblob::style-src 'self' 'unsafe-inline';img-src 'self' data: blob: https://cloud.tniad.mil.id https://*.tile.openstreetmap.org:443;media-src 'self' blob::frame-src 'self' https://cloud.tniad.mil.id;child-src blob: 'self';frame-ancestors 'self' https://cloud.tniad.mil.id
URL	<a href="https://cloud.tniad.mil.id/index.php/login">https://cloud.tniad.mil.id/index.php/login</a>
Method	GET
Attack	
Evidence	default-src 'none';base-uri 'none';manifest-src 'self';script-src 'nonce-dnJ6STZEQzV2ZW9ocnR4ZHprd0NwaGtiNmNWdmUvUWdjQjZmelZIN3d3OD06aIBuNXJ3Ymstyle-src 'self' 'unsafe-inline';img-src 'self' data: blob: https://cloud.tniad.mil.id https://*.tile.openstreetmap.org:443;media-src 'self' blob::frame-src 'self' https://cloud.tniad.mil.id;child-src blob: 'self';frame-ancestors 'self' https://cloud.tniad.mil.id
URL	<a href="https://cloud.tniad.mil.id/index.php/login">https://cloud.tniad.mil.id/index.php/login</a>
Method	GET
Attack	
Evidence	default-src 'none';base-uri 'none';manifest-src 'self';script-src 'nonce-endqWXgyMjhLa3ljS1Y5R09ubExjSTN1cnZHUK02aXhnQVJSdkYrZzQwYz06L1UzcGdGdmVSstyle-src 'self' 'unsafe-inline';img-src 'self' data: blob: https://cloud.tniad.mil.id https://*.tile.openstreetmap.org:443;media-src 'self' blob::frame-src 'self' https://cloud.tniad.mil.id;child-src blob: 'self';frame-ancestors 'self' https://cloud.tniad.mil.id
URL	<a href="https://cloud.tniad.mil.id/index.php/login">https://cloud.tniad.mil.id/index.php/login</a>
Method	GET
Attack	
Evidence	default-src 'none';base-uri 'none';manifest-src 'self';script-src 'self' blob::style-src 'self' 'unsafe-inline';font-src 'self' data:;connect-src 'self' blob: stun.nextcloud.com:443;media-src 'self' blob::frame-ancestors 'self' https://cloud.tniad.mil.id;worker-src 'self' blob::form-action 'self' https://cloud.tniad.mil.id
URL	<a href="https://cloud.tniad.mil.id/index.php/login/webauthn">https://cloud.tniad.mil.id/index.php/login/webauthn</a>
Method	GET

Attack	
Evidence	default-src 'self'; script-src 'self' 'nonce-Mm9QL0ZLdXZCOU81MWR0c3JTTC9DR0JkK29CK2pMRFNyVUxEQTFFSzFIOD06azdTcmNsrc 'self' 'unsafe-inline'; frame-src *; img-src * data: blob:; font-src 'self' data:; media-src *; conne
URL	<a href="https://cloud.tniad.mil.id/index.php/login/webauthn/start">https://cloud.tniad.mil.id/index.php/login/webauthn/start</a>
Method	GET
Attack	
Evidence	default-src 'self'; script-src 'self' 'nonce-YIMxYWloZGtMd1Z5TWJCUdhoeVpkL0hMTIijbGV1dHVSNmg2OVUwSzJzST06SkJvTzcxME9style-src 'self' 'unsafe-inline'; frame-src *; img-src * data: blob:; font-src 'self' data:; media-src *; c
Instances	20
Solution	Ensure that your web server, application server, load balancer, etc. is properly configured to set
Reference	<a href="http://www.w3.org/TR/CSP2/">http://www.w3.org/TR/CSP2/</a> <a href="http://www.w3.org/TR/CSP/">http://www.w3.org/TR/CSP/</a> <a href="http://caniuse.com/#search=content+security+policy">http://caniuse.com/#search=content+security+policy</a> <a href="http://content-security-policy.com/">http://content-security-policy.com/</a> <a href="https://github.com/shapesecurity/salvation">https://github.com/shapesecurity/salvation</a> <a href="https://developers.google.com/web/fundamentals/security/csp#policy_applies_to_a_wide_variet">https://developers.google.com/web/fundamentals/security/csp#policy_applies_to_a_wide_variet</a>
CWE Id	<a href="#">693</a>
WASC Id	15
Plugin Id	<a href="#">10055</a>

<b>Medium</b>	<b>Content Security Policy (CSP) Header Not Set</b>
---------------	---

Description	Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
URL	<a href="https://cloud.tniad.mil.id/sitemap.xml">https://cloud.tniad.mil.id/sitemap.xml</a>
Method	GET
Attack	
Evidence	
Instances	1
Solution	Ensure that your web server, application server, load balancer, etc. is configured to set the Content-Security-Policy header, to achieve optimal browser support: "Content-Security-Policy" for Chrome 25+, Firefox 23+ and Safari 7+, "X-Content-Security-Policy" for Firefox 4.0+ and Internet Explorer 10+, and "X-WebKit-CSP" for Chrome 14+ and Safari 6+.
Reference	<a href="https://developer.mozilla.org/en-US/docs/Web/Security/CSP/Introducing_Content_Security_Policy">https://developer.mozilla.org/en-US/docs/Web/Security/CSP/Introducing_Content_Security_Policy</a> <a href="https://cheatsheetseries.owasp.org/cheatsheets/Content_Security_Policy_Cheat_Sheet.html">https://cheatsheetseries.owasp.org/cheatsheets/Content_Security_Policy_Cheat_Sheet.html</a> <a href="http://www.w3.org/TR/CSP/">http://www.w3.org/TR/CSP/</a> <a href="http://w3c.github.io/webappsec/specs/content-security-policy/csp-specification.dev.html">http://w3c.github.io/webappsec/specs/content-security-policy/csp-specification.dev.html</a> <a href="http://www.html5rocks.com/en/tutorials/security/content-security-policy/">http://www.html5rocks.com/en/tutorials/security/content-security-policy/</a> <a href="http://caniuse.com/#feat=contentsecuritypolicy">http://caniuse.com/#feat=contentsecuritypolicy</a> <a href="http://content-security-policy.com/">http://content-security-policy.com/</a>
CWE Id	<a href="#">693</a>
WASC Id	15
Plugin Id	<a href="#">10038</a>

<b>Medium</b>	<b>Hidden File Found</b>
---------------	--------------------------

Description	A sensitive file was identified as accessible or available. This may leak administrative, configuration, or credential information which can be leveraged by a malicious individual to further attack the system or conduct social engineering efforts.
URL	<a href="https://cloud.tniad.mil.id/server-status">https://cloud.tniad.mil.id/server-status</a>
Method	GET
Attack	
Evidence	HTTP/1.1 200 OK
Instances	1
Solution	Consider whether or not the component is actually required in production, if it isn't then disable it. If it is then ensure access to it requires appropriate authentication and authorization, or limit exposure to internal systems or specific source IPs, etc.
Reference	<a href="https://blog.hboeck.de/archives/892-Introducing-Snallygaster-a-Tool-to-Scan-for-Secrets-on-Web-Servers.html">https://blog.hboeck.de/archives/892-Introducing-Snallygaster-a-Tool-to-Scan-for-Secrets-on-Web-Servers.html</a> <a href="https://httpd.apache.org/docs/current/mod/mod_status.html">https://httpd.apache.org/docs/current/mod/mod_status.html</a>
CWE Id	<a href="#">538</a>
WASC Id	13
Plugin Id	<a href="#">40035</a>

<b>Medium</b>	<b>Vulnerable JS Library</b>
Description	The identified library jquery, version 3.3.1 is vulnerable.
URL	<a href="https://cloud.tniad.mil.id/core/js/dist/files_client.js?v=6aa0d420-11">https://cloud.tniad.mil.id/core/js/dist/files_client.js?v=6aa0d420-11</a>
Method	GET
Attack	
Evidence	* jQuery JavaScript Library v3.3.1
URL	<a href="https://cloud.tniad.mil.id/core/js/dist/login.js?v=6aa0d420-11">https://cloud.tniad.mil.id/core/js/dist/login.js?v=6aa0d420-11</a>
Method	GET
Attack	
Evidence	* jQuery JavaScript Library v3.3.1
URL	<a href="https://cloud.tniad.mil.id/core/js/dist/main.js?v=6aa0d420-11">https://cloud.tniad.mil.id/core/js/dist/main.js?v=6aa0d420-11</a>
Method	GET
Attack	
Evidence	* jQuery JavaScript Library v3.3.1
Instances	3
Solution	Please upgrade to the latest version of jquery.
Reference	<a href="https://blog.jquery.com/2019/04/10/jquery-3-4-0-released/">https://blog.jquery.com/2019/04/10/jquery-3-4-0-released/</a> <a href="https://nvd.nist.gov/vuln/detail/CVE-2019-11358">https://nvd.nist.gov/vuln/detail/CVE-2019-11358</a> <a href="https://github.com/jquery/jquery/commit/753d591aea698e57d6db58c9f722cd0808619b1b">https://github.com/jquery/jquery/commit/753d591aea698e57d6db58c9f722cd0808619b1b</a> <a href="https://blog.jquery.com/2020/04/10/jquery-3-5-0-released/">https://blog.jquery.com/2020/04/10/jquery-3-5-0-released/</a>
CWE Id	<a href="#">829</a>
WASC Id	
Plugin Id	<a href="#">10003</a>

<b>Low</b>	<b>Server Leaks Version Information via "Server" HTTP Response Header Field</b>
Description	The web/application server is leaking version information via the "Server" HTTP response header. Access to such information may facilitate attackers identifying other vulnerabilities your web/application server is subject to.
URL	<a href="https://cloud.tniad.mil.id">https://cloud.tniad.mil.id</a>



Method	GET
Attack	
Evidence	Apache/2.4.41 (Ubuntu)
URL	<a href="https://cloud.tniad.mil.id/">https://cloud.tniad.mil.id/</a>
Method	GET
Attack	
Evidence	Apache/2.4.41 (Ubuntu)
URL	<a href="https://cloud.tniad.mil.id/apps/accessibility/js/accessibilityoca.js?v=6aa0d420-11">https://cloud.tniad.mil.id/apps/accessibility/js/accessibilityoca.js?v=6aa0d420-11</a>
Method	GET
Attack	
Evidence	Apache/2.4.41 (Ubuntu)
URL	<a href="https://cloud.tniad.mil.id/apps/files_rightclick/css/app.css?v=62abc69f-11">https://cloud.tniad.mil.id/apps/files_rightclick/css/app.css?v=62abc69f-11</a>
Method	GET
Attack	
Evidence	Apache/2.4.41 (Ubuntu)
URL	<a href="https://cloud.tniad.mil.id/apps/files_rightclick/js/files.js?v=6aa0d420-11">https://cloud.tniad.mil.id/apps/files_rightclick/js/files.js?v=6aa0d420-11</a>
Method	GET
Attack	
Evidence	Apache/2.4.41 (Ubuntu)
URL	<a href="https://cloud.tniad.mil.id/apps/files_rightclick/js/script.js?v=6aa0d420-11">https://cloud.tniad.mil.id/apps/files_rightclick/js/script.js?v=6aa0d420-11</a>
Method	GET
Attack	
Evidence	Apache/2.4.41 (Ubuntu)
URL	<a href="https://cloud.tniad.mil.id/apps/files_sharing/js/dist/main.js?v=6aa0d420-11">https://cloud.tniad.mil.id/apps/files_sharing/js/dist/main.js?v=6aa0d420-11</a>
Method	GET
Attack	
Evidence	Apache/2.4.41 (Ubuntu)
URL	<a href="https://cloud.tniad.mil.id/apps/files_videoplayer/js/files_videoplayer-main.js?v=6aa0d420-11">https://cloud.tniad.mil.id/apps/files_videoplayer/js/files_videoplayer-main.js?v=6aa0d420-11</a>
Method	GET
Attack	
Evidence	Apache/2.4.41 (Ubuntu)
URL	<a href="https://cloud.tniad.mil.id/apps/integration_zimbra/css/zimbra-search.css?v=15ca9602-11">https://cloud.tniad.mil.id/apps/integration_zimbra/css/zimbra-search.css?v=15ca9602-11</a>
Method	GET
Attack	
Evidence	Apache/2.4.41 (Ubuntu)
URL	<a href="https://cloud.tniad.mil.id/apps/theming/js/theming.js?v=6aa0d420-11">https://cloud.tniad.mil.id/apps/theming/js/theming.js?v=6aa0d420-11</a>
Method	GET
Attack	
Evidence	Apache/2.4.41 (Ubuntu)
URL	<a href="https://cloud.tniad.mil.id/core/css/guest.css?v=6aa0d420-11">https://cloud.tniad.mil.id/core/css/guest.css?v=6aa0d420-11</a>
Method	GET

Attack	
Evidence	Apache/2.4.41 (Ubuntu)
URL	<a href="https://cloud.tniad.mil.id/core/img/actions/confirm-white.svg?v=2">https://cloud.tniad.mil.id/core/img/actions/confirm-white.svg?v=2</a>
Method	GET
Attack	
Evidence	Apache/2.4.41 (Ubuntu)
URL	<a href="https://cloud.tniad.mil.id/core/img/actions/toggle.svg">https://cloud.tniad.mil.id/core/img/actions/toggle.svg</a>
Method	GET
Attack	
Evidence	Apache/2.4.41 (Ubuntu)
URL	<a href="https://cloud.tniad.mil.id/core/img/favicon-mask.svg">https://cloud.tniad.mil.id/core/img/favicon-mask.svg</a>
Method	GET
Attack	
Evidence	Apache/2.4.41 (Ubuntu)
URL	<a href="https://cloud.tniad.mil.id/core/img/loading-dark.gif">https://cloud.tniad.mil.id/core/img/loading-dark.gif</a>
Method	GET
Attack	
Evidence	Apache/2.4.41 (Ubuntu)
URL	<a href="https://cloud.tniad.mil.id/core/js/backgroundjobs.js?v=6aa0d420-11">https://cloud.tniad.mil.id/core/js/backgroundjobs.js?v=6aa0d420-11</a>
Method	GET
Attack	
Evidence	Apache/2.4.41 (Ubuntu)
URL	<a href="https://cloud.tniad.mil.id/core/js/dist/files_client.js?v=6aa0d420-11">https://cloud.tniad.mil.id/core/js/dist/files_client.js?v=6aa0d420-11</a>
Method	GET
Attack	
Evidence	Apache/2.4.41 (Ubuntu)
URL	<a href="https://cloud.tniad.mil.id/core/js/dist/files_fileinfo.js?v=6aa0d420-11">https://cloud.tniad.mil.id/core/js/dist/files_fileinfo.js?v=6aa0d420-11</a>
Method	GET
Attack	
Evidence	Apache/2.4.41 (Ubuntu)
URL	<a href="https://cloud.tniad.mil.id/core/js/dist/login.js?v=6aa0d420-11">https://cloud.tniad.mil.id/core/js/dist/login.js?v=6aa0d420-11</a>
Method	GET
Attack	
Evidence	Apache/2.4.41 (Ubuntu)
URL	<a href="https://cloud.tniad.mil.id/core/js/dist/main.js?v=6aa0d420-11">https://cloud.tniad.mil.id/core/js/dist/main.js?v=6aa0d420-11</a>
Method	GET
Attack	
Evidence	Apache/2.4.41 (Ubuntu)
URL	<a href="https://cloud.tniad.mil.id/cron.php">https://cloud.tniad.mil.id/cron.php</a>
Method	GET
Attack	

Evidence	Apache/2.4.41 (Ubuntu)
URL	<a href="https://cloud.tniad.mil.id/index.php/apps/accessibility/css/user-a82fd95db10ff25dfad39f07372ebe37">https://cloud.tniad.mil.id/index.php/apps/accessibility/css/user-a82fd95db10ff25dfad39f07372ebe37</a>
Method	GET
Attack	
Evidence	Apache/2.4.41 (Ubuntu)
URL	<a href="https://cloud.tniad.mil.id/index.php/apps/theming/favicon?v=11">https://cloud.tniad.mil.id/index.php/apps/theming/favicon?v=11</a>
Method	GET
Attack	
Evidence	Apache/2.4.41 (Ubuntu)
URL	<a href="https://cloud.tniad.mil.id/index.php/apps/theming/icon?v=11">https://cloud.tniad.mil.id/index.php/apps/theming/icon?v=11</a>
Method	GET
Attack	
Evidence	Apache/2.4.41 (Ubuntu)
URL	<a href="https://cloud.tniad.mil.id/index.php/apps/theming/image/background?v=11">https://cloud.tniad.mil.id/index.php/apps/theming/image/background?v=11</a>
Method	GET
Attack	
Evidence	Apache/2.4.41 (Ubuntu)
URL	<a href="https://cloud.tniad.mil.id/index.php/apps/theming/image/logo?useSvg=1&amp;v=11">https://cloud.tniad.mil.id/index.php/apps/theming/image/logo?useSvg=1&amp;v=11</a>
Method	GET
Attack	
Evidence	Apache/2.4.41 (Ubuntu)
URL	<a href="https://cloud.tniad.mil.id/index.php/apps/theming/image/logo?v=11">https://cloud.tniad.mil.id/index.php/apps/theming/image/logo?v=11</a>
Method	GET
Attack	
Evidence	Apache/2.4.41 (Ubuntu)
URL	<a href="https://cloud.tniad.mil.id/index.php/apps/theming/manifest?v=11">https://cloud.tniad.mil.id/index.php/apps/theming/manifest?v=11</a>
Method	GET
Attack	
Evidence	Apache/2.4.41 (Ubuntu)
URL	<a href="https://cloud.tniad.mil.id/index.php/apps/theming/styles?v=11">https://cloud.tniad.mil.id/index.php/apps/theming/styles?v=11</a>
Method	GET
Attack	
Evidence	Apache/2.4.41 (Ubuntu)
URL	<a href="https://cloud.tniad.mil.id/index.php/core/js/oc.js?v=6aa0d420">https://cloud.tniad.mil.id/index.php/core/js/oc.js?v=6aa0d420</a>
Method	GET
Attack	
Evidence	Apache/2.4.41 (Ubuntu)
URL	<a href="https://cloud.tniad.mil.id/index.php/core/js/oc.js?v=6aa0d420%27+AND+%271%27%3D%271%27+--+">https://cloud.tniad.mil.id/index.php/core/js/oc.js?v=6aa0d420%27+AND+%271%27%3D%271%27+--+</a>
Method	GET
Attack	

Evidence	Apache/2.4.41 (Ubuntu)
URL	<a href="https://cloud.tniad.mil.id/index.php/js/core/merged-template-prepend.js?v=6aa0d420-11">https://cloud.tniad.mil.id/index.php/js/core/merged-template-prepend.js?v=6aa0d420-11</a>
Method	GET
Attack	
Evidence	Apache/2.4.41 (Ubuntu)
URL	<a href="https://cloud.tniad.mil.id/index.php/login">https://cloud.tniad.mil.id/index.php/login</a>
Method	GET
Attack	
Evidence	Apache/2.4.41 (Ubuntu)
URL	<a href="https://cloud.tniad.mil.id/index.php/login/webauthn">https://cloud.tniad.mil.id/index.php/login/webauthn</a>
Method	GET
Attack	
Evidence	Apache/2.4.41 (Ubuntu)
URL	<a href="https://cloud.tniad.mil.id/index.php/login/webauthn/start">https://cloud.tniad.mil.id/index.php/login/webauthn/start</a>
Method	GET
Attack	
Evidence	Apache/2.4.41 (Ubuntu)
URL	<a href="https://cloud.tniad.mil.id/robots.txt">https://cloud.tniad.mil.id/robots.txt</a>
Method	GET
Attack	
Evidence	Apache/2.4.41 (Ubuntu)
URL	<a href="https://cloud.tniad.mil.id/sitemap.xml">https://cloud.tniad.mil.id/sitemap.xml</a>
Method	GET
Attack	
Evidence	Apache/2.4.41 (Ubuntu)
URL	<a href="https://cloud.tniad.mil.id/index.php/login/webauthn/start">https://cloud.tniad.mil.id/index.php/login/webauthn/start</a>
Method	POST
Attack	
Evidence	Apache/2.4.41 (Ubuntu)
URL	<a href="https://cloud.tniad.mil.id/index.php/lostpassword/email">https://cloud.tniad.mil.id/index.php/lostpassword/email</a>
Method	POST
Attack	
Evidence	Apache/2.4.41 (Ubuntu)
Instances	39
Solution	Ensure that your web server, application server, load balancer, etc. is configured to suppress the "Server" header or provide generic details.
Reference	<a href="http://httpd.apache.org/docs/current/mod/core.html#servertokens">http://httpd.apache.org/docs/current/mod/core.html#servertokens</a> <a href="http://msdn.microsoft.com/en-us/library/ff648552.aspx#ht_urlscan_007">http://msdn.microsoft.com/en-us/library/ff648552.aspx#ht_urlscan_007</a> <a href="http://blogs.msdn.com/b/varunm/archive/2013/04/23/remove-unwanted-http-response-headers.aspx">http://blogs.msdn.com/b/varunm/archive/2013/04/23/remove-unwanted-http-response-headers.aspx</a> <a href="http://www.troyhunt.com/2012/02/shhh-dont-let-your-response-headers.html">http://www.troyhunt.com/2012/02/shhh-dont-let-your-response-headers.html</a>
CWE Id	<a href="#">200</a>
WASC Id	13

Plugin Id	<a href="#">10036</a>
<b>Low</b>	<b>Strict-Transport-Security Header Not Set</b>
Description	HTTP Strict Transport Security (HSTS) is a web security policy mechanism whereby a web server declares that complying user agents (such as a web browser) are to interact with it using only secure HTTPS connections (i.e. HTTP layered over TLS/SSL). HSTS is an IETF standards track protocol and is specified in RFC 6797.
URL	<a href="https://cloud.tniad.mil.id/">https://cloud.tniad.mil.id/</a>
Method	GET
Attack	
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/accessibility/js/accessibilityoca.js?v=6aa0d420-11">https://cloud.tniad.mil.id/apps/accessibility/js/accessibilityoca.js?v=6aa0d420-11</a>
Method	GET
Attack	
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/files_rightclick/css/app.css?v=62abc69f-11">https://cloud.tniad.mil.id/apps/files_rightclick/css/app.css?v=62abc69f-11</a>
Method	GET
Attack	
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/files_rightclick/js/files.js?v=6aa0d420-11">https://cloud.tniad.mil.id/apps/files_rightclick/js/files.js?v=6aa0d420-11</a>
Method	GET
Attack	
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/files_rightclick/js/script.js?v=6aa0d420-11">https://cloud.tniad.mil.id/apps/files_rightclick/js/script.js?v=6aa0d420-11</a>
Method	GET
Attack	
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/files_sharing/js/dist/main.js?v=6aa0d420-11">https://cloud.tniad.mil.id/apps/files_sharing/js/dist/main.js?v=6aa0d420-11</a>
Method	GET
Attack	
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/files_videoplayer/js/files_videoplayer-main.js?v=6aa0d420-11">https://cloud.tniad.mil.id/apps/files_videoplayer/js/files_videoplayer-main.js?v=6aa0d420-11</a>
Method	GET
Attack	
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/integration_zimbra/css/zimbra-search.css?v=15ca9602-11">https://cloud.tniad.mil.id/apps/integration_zimbra/css/zimbra-search.css?v=15ca9602-11</a>
Method	GET
Attack	
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/theming/js/theming.js?v=6aa0d420-11">https://cloud.tniad.mil.id/apps/theming/js/theming.js?v=6aa0d420-11</a>
Method	GET
Attack	
Evidence	

URL	<a href="https://cloud.tniad.mil.id/core/css/guest.css?v=6aa0d420-11">https://cloud.tniad.mil.id/core/css/guest.css?v=6aa0d420-11</a>
Method	GET
Attack	
Evidence	
URL	<a href="https://cloud.tniad.mil.id/core/img/actions/confirm-white.svg?v=2">https://cloud.tniad.mil.id/core/img/actions/confirm-white.svg?v=2</a>
Method	GET
Attack	
Evidence	
URL	<a href="https://cloud.tniad.mil.id/core/img/actions/toggle.svg">https://cloud.tniad.mil.id/core/img/actions/toggle.svg</a>
Method	GET
Attack	
Evidence	
URL	<a href="https://cloud.tniad.mil.id/core/img/favicon-mask.svg">https://cloud.tniad.mil.id/core/img/favicon-mask.svg</a>
Method	GET
Attack	
Evidence	
URL	<a href="https://cloud.tniad.mil.id/core/img/loading-dark.gif">https://cloud.tniad.mil.id/core/img/loading-dark.gif</a>
Method	GET
Attack	
Evidence	
URL	<a href="https://cloud.tniad.mil.id/core/js/backgroundjobs.js?v=6aa0d420-11">https://cloud.tniad.mil.id/core/js/backgroundjobs.js?v=6aa0d420-11</a>
Method	GET
Attack	
Evidence	
URL	<a href="https://cloud.tniad.mil.id/core/js/dist/files_client.js?v=6aa0d420-11">https://cloud.tniad.mil.id/core/js/dist/files_client.js?v=6aa0d420-11</a>
Method	GET
Attack	
Evidence	
URL	<a href="https://cloud.tniad.mil.id/core/js/dist/files_fileinfo.js?v=6aa0d420-11">https://cloud.tniad.mil.id/core/js/dist/files_fileinfo.js?v=6aa0d420-11</a>
Method	GET
Attack	
Evidence	
URL	<a href="https://cloud.tniad.mil.id/core/js/dist/login.js?v=6aa0d420-11">https://cloud.tniad.mil.id/core/js/dist/login.js?v=6aa0d420-11</a>
Method	GET
Attack	
Evidence	
URL	<a href="https://cloud.tniad.mil.id/core/js/dist/main.js?v=6aa0d420-11">https://cloud.tniad.mil.id/core/js/dist/main.js?v=6aa0d420-11</a>
Method	GET
Attack	
Evidence	
URL	<a href="https://cloud.tniad.mil.id/cron.php">https://cloud.tniad.mil.id/cron.php</a>

Method	GET
Attack	
Evidence	
URL	<a href="https://cloud.tniad.mil.id/index.php/apps/accessibility/css/user-a82fd95db10ff25dfad39f07372ebe37">https://cloud.tniad.mil.id/index.php/apps/accessibility/css/user-a82fd95db10ff25dfad39f07372ebe37</a>
Method	GET
Attack	
Evidence	
URL	<a href="https://cloud.tniad.mil.id/index.php/apps/theming/favicon?v=11">https://cloud.tniad.mil.id/index.php/apps/theming/favicon?v=11</a>
Method	GET
Attack	
Evidence	
URL	<a href="https://cloud.tniad.mil.id/index.php/apps/theming/icon?v=11">https://cloud.tniad.mil.id/index.php/apps/theming/icon?v=11</a>
Method	GET
Attack	
Evidence	
URL	<a href="https://cloud.tniad.mil.id/index.php/apps/theming/image/background?v=11">https://cloud.tniad.mil.id/index.php/apps/theming/image/background?v=11</a>
Method	GET
Attack	
Evidence	
URL	<a href="https://cloud.tniad.mil.id/index.php/apps/theming/image/logo?useSvg=1&amp;v=11">https://cloud.tniad.mil.id/index.php/apps/theming/image/logo?useSvg=1&amp;v=11</a>
Method	GET
Attack	
Evidence	
URL	<a href="https://cloud.tniad.mil.id/index.php/apps/theming/image/logo?v=11">https://cloud.tniad.mil.id/index.php/apps/theming/image/logo?v=11</a>
Method	GET
Attack	
Evidence	
URL	<a href="https://cloud.tniad.mil.id/index.php/apps/theming/manifest?v=11">https://cloud.tniad.mil.id/index.php/apps/theming/manifest?v=11</a>
Method	GET
Attack	
Evidence	
URL	<a href="https://cloud.tniad.mil.id/index.php/apps/theming/styles?v=11">https://cloud.tniad.mil.id/index.php/apps/theming/styles?v=11</a>
Method	GET
Attack	
Evidence	
URL	<a href="https://cloud.tniad.mil.id/index.php/core/js/oc.js?v=6aa0d420">https://cloud.tniad.mil.id/index.php/core/js/oc.js?v=6aa0d420</a>
Method	GET
Attack	
Evidence	
URL	<a href="https://cloud.tniad.mil.id/index.php/core/js/oc.js?v=6aa0d420%27+AND+%271%27%3D%271%27+---+">https://cloud.tniad.mil.id/index.php/core/js/oc.js?v=6aa0d420%27+AND+%271%27%3D%271%27+---+</a>

Method	GET
Attack	
Evidence	
URL	<a href="https://cloud.tniad.mil.id/index.php/js/core/merged-template-prepend.js?v=6aa0d420-11">https://cloud.tniad.mil.id/index.php/js/core/merged-template-prepend.js?v=6aa0d420-11</a>
Method	GET
Attack	
Evidence	
URL	<a href="https://cloud.tniad.mil.id/index.php/login">https://cloud.tniad.mil.id/index.php/login</a>
Method	GET
Attack	
Evidence	
URL	<a href="https://cloud.tniad.mil.id/index.php/login/webauthn/start">https://cloud.tniad.mil.id/index.php/login/webauthn/start</a>
Method	GET
Attack	
Evidence	
URL	<a href="https://cloud.tniad.mil.id/robots.txt">https://cloud.tniad.mil.id/robots.txt</a>
Method	GET
Attack	
Evidence	
URL	<a href="https://cloud.tniad.mil.id/sitemap.xml">https://cloud.tniad.mil.id/sitemap.xml</a>
Method	GET
Attack	
Evidence	
URL	<a href="https://cloud.tniad.mil.id/index.php/login/webauthn/start">https://cloud.tniad.mil.id/index.php/login/webauthn/start</a>
Method	POST
Attack	
Evidence	
URL	<a href="https://cloud.tniad.mil.id/index.php/lostpassword/email">https://cloud.tniad.mil.id/index.php/lostpassword/email</a>
Method	POST
Attack	
Evidence	
Instances	37
Solution	Ensure that your web server, application server, load balancer, etc. is configured to enforce Strict-Transport-Security.
Reference	<a href="https://cheatsheetseries.owasp.org/cheatsheets/HTTP_Strict_Transport_Security_Cheat_Sheet.html">https://cheatsheetseries.owasp.org/cheatsheets/HTTP_Strict_Transport_Security_Cheat_Sheet.html</a> <a href="https://owasp.org/www-community/Security-Headers">https://owasp.org/www-community/Security-Headers</a> <a href="http://en.wikipedia.org/wiki/HTTP_Strict_Transport_Security">http://en.wikipedia.org/wiki/HTTP_Strict_Transport_Security</a> <a href="http://caniuse.com/stricttransportsecurity">http://caniuse.com/stricttransportsecurity</a> <a href="http://tools.ietf.org/html/rfc6797">http://tools.ietf.org/html/rfc6797</a>
CWE Id	<a href="#">319</a>
WASC Id	15
Plugin Id	<a href="#">10035</a>



Low	Timestamp Disclosure - Unix
Description	A timestamp was disclosed by the application/web server - Unix
URL	<a href="https://cloud.tniad.mil.id/core/js/dist/main.js?v=6aa0d420-11">https://cloud.tniad.mil.id/core/js/dist/main.js?v=6aa0d420-11</a>
Method	GET
Attack	
Evidence	1416354905
URL	<a href="https://cloud.tniad.mil.id/core/js/dist/main.js?v=6aa0d420-11">https://cloud.tniad.mil.id/core/js/dist/main.js?v=6aa0d420-11</a>
Method	GET
Attack	
Evidence	1444681467
URL	<a href="https://cloud.tniad.mil.id/core/js/dist/main.js?v=6aa0d420-11">https://cloud.tniad.mil.id/core/js/dist/main.js?v=6aa0d420-11</a>
Method	GET
Attack	
Evidence	1473231341
URL	<a href="https://cloud.tniad.mil.id/core/js/dist/main.js?v=6aa0d420-11">https://cloud.tniad.mil.id/core/js/dist/main.js?v=6aa0d420-11</a>
Method	GET
Attack	
Evidence	1502002290
URL	<a href="https://cloud.tniad.mil.id/core/js/dist/main.js?v=6aa0d420-11">https://cloud.tniad.mil.id/core/js/dist/main.js?v=6aa0d420-11</a>
Method	GET
Attack	
Evidence	1530992060
URL	<a href="https://cloud.tniad.mil.id/core/js/dist/main.js?v=6aa0d420-11">https://cloud.tniad.mil.id/core/js/dist/main.js?v=6aa0d420-11</a>
Method	GET
Attack	
Evidence	1549556828
URL	<a href="https://cloud.tniad.mil.id/core/js/dist/main.js?v=6aa0d420-11">https://cloud.tniad.mil.id/core/js/dist/main.js?v=6aa0d420-11</a>
Method	GET
Attack	
Evidence	1560198380
URL	<a href="https://cloud.tniad.mil.id/core/js/dist/main.js?v=6aa0d420-11">https://cloud.tniad.mil.id/core/js/dist/main.js?v=6aa0d420-11</a>
Method	GET
Attack	
Evidence	1700485571
URL	<a href="https://cloud.tniad.mil.id/core/js/dist/main.js?v=6aa0d420-11">https://cloud.tniad.mil.id/core/js/dist/main.js?v=6aa0d420-11</a>
Method	GET
Attack	
Evidence	1732584193
URL	<a href="https://cloud.tniad.mil.id/core/js/dist/main.js?v=6aa0d420-11">https://cloud.tniad.mil.id/core/js/dist/main.js?v=6aa0d420-11</a>
Method	GET
Attack	

Evidence	1732584194
URL	<a href="https://cloud.tniad.mil.id/core/js/dist/main.js?v=6aa0d420-11">https://cloud.tniad.mil.id/core/js/dist/main.js?v=6aa0d420-11</a>
Method	GET
Attack	
Evidence	1735328473
URL	<a href="https://cloud.tniad.mil.id/core/js/dist/main.js?v=6aa0d420-11">https://cloud.tniad.mil.id/core/js/dist/main.js?v=6aa0d420-11</a>
Method	GET
Attack	
Evidence	1770035416
URL	<a href="https://cloud.tniad.mil.id/core/js/dist/main.js?v=6aa0d420-11">https://cloud.tniad.mil.id/core/js/dist/main.js?v=6aa0d420-11</a>
Method	GET
Attack	
Evidence	1804603682
URL	<a href="https://cloud.tniad.mil.id/core/js/dist/main.js?v=6aa0d420-11">https://cloud.tniad.mil.id/core/js/dist/main.js?v=6aa0d420-11</a>
Method	GET
Attack	
Evidence	1839030562
URL	<a href="https://cloud.tniad.mil.id/core/js/dist/main.js?v=6aa0d420-11">https://cloud.tniad.mil.id/core/js/dist/main.js?v=6aa0d420-11</a>
Method	GET
Attack	
Evidence	1873313359
URL	<a href="https://cloud.tniad.mil.id/core/js/dist/main.js?v=6aa0d420-11">https://cloud.tniad.mil.id/core/js/dist/main.js?v=6aa0d420-11</a>
Method	GET
Attack	
Evidence	1894986606
URL	<a href="https://cloud.tniad.mil.id/core/js/dist/main.js?v=6aa0d420-11">https://cloud.tniad.mil.id/core/js/dist/main.js?v=6aa0d420-11</a>
Method	GET
Attack	
Evidence	1926607734
URL	<a href="https://cloud.tniad.mil.id/core/js/dist/main.js?v=6aa0d420-11">https://cloud.tniad.mil.id/core/js/dist/main.js?v=6aa0d420-11</a>
Method	GET
Attack	
Evidence	1958414417
URL	<a href="https://cloud.tniad.mil.id/core/js/dist/main.js?v=6aa0d420-11">https://cloud.tniad.mil.id/core/js/dist/main.js?v=6aa0d420-11</a>
Method	GET
Attack	
Evidence	1990404162
URL	<a href="https://cloud.tniad.mil.id/index.php/core/js/oc.js?v=6aa0d420">https://cloud.tniad.mil.id/index.php/core/js/oc.js?v=6aa0d420</a>
Method	GET
Attack	
Evidence	1676523108

URL	<a href="https://cloud.tniad.mil.id/index.php/core/js/oc.js?v=6aa0d420">https://cloud.tniad.mil.id/index.php/core/js/oc.js?v=6aa0d420</a>
Method	GET
Attack	
Evidence	1676528565
URL	<a href="https://cloud.tniad.mil.id/index.php/core/js/oc.js?v=6aa0d420">https://cloud.tniad.mil.id/index.php/core/js/oc.js?v=6aa0d420</a>
Method	GET
Attack	
Evidence	1676529227
URL	<a href="https://cloud.tniad.mil.id/index.php/core/js/oc.js?v=6aa0d420%27+AND+%271%27%3D%271%27+---+">https://cloud.tniad.mil.id/index.php/core/js/oc.js?v=6aa0d420%27+AND+%271%27%3D%271%27+---+</a>
Method	GET
Attack	
Evidence	1676530497
URL	<a href="https://cloud.tniad.mil.id/index.php/login">https://cloud.tniad.mil.id/index.php/login</a>
Method	GET
Attack	
Evidence	1676523119
URL	<a href="https://cloud.tniad.mil.id/index.php/login">https://cloud.tniad.mil.id/index.php/login</a>
Method	GET
Attack	
Evidence	1676523127
URL	<a href="https://cloud.tniad.mil.id/index.php/login">https://cloud.tniad.mil.id/index.php/login</a>
Method	GET
Attack	
Evidence	1676523134
URL	<a href="https://cloud.tniad.mil.id/index.php/login">https://cloud.tniad.mil.id/index.php/login</a>
Method	GET
Attack	
Evidence	1676523140
URL	<a href="https://cloud.tniad.mil.id/index.php/login">https://cloud.tniad.mil.id/index.php/login</a>
Method	GET
Attack	
Evidence	1676523145
URL	<a href="https://cloud.tniad.mil.id/index.php/login">https://cloud.tniad.mil.id/index.php/login</a>
Method	GET
Attack	
Evidence	1676523152
URL	<a href="https://cloud.tniad.mil.id/index.php/login">https://cloud.tniad.mil.id/index.php/login</a>
Method	GET
Attack	
Evidence	1676523154

URL	<a href="https://cloud.tniad.mil.id/index.php/login">https://cloud.tniad.mil.id/index.php/login</a>
Method	GET
Attack	
Evidence	1676523156
URL	<a href="https://cloud.tniad.mil.id/index.php/login">https://cloud.tniad.mil.id/index.php/login</a>
Method	GET
Attack	
Evidence	1676523158
URL	<a href="https://cloud.tniad.mil.id/index.php/login">https://cloud.tniad.mil.id/index.php/login</a>
Method	GET
Attack	
Evidence	1676523163
Instances	33
Solution	Manually confirm that the timestamp data is not sensitive, and that the data cannot be aggregated to disclose exploitable patterns.
Reference	<a href="http://projects.webappsec.org/w/page/13246936/Information%20Leakage">http://projects.webappsec.org/w/page/13246936/Information%20Leakage</a>
CWE Id	<a href="#">200</a>
WASC Id	13
Plugin Id	<a href="#">10096</a>

Informational	Information Disclosure - Suspicious Comments
Description	The response appears to contain suspicious comments which may help an attacker. Note: Matches made within script blocks or files are against the entire content not only comments.
URL	<a href="https://cloud.tniad.mil.id/apps/accessibility/js/accessibilityoca.js?v=6aa0d420-11">https://cloud.tniad.mil.id/apps/accessibility/js/accessibilityoca.js?v=6aa0d420-11</a>
Method	GET
Attack	
Evidence	later
URL	<a href="https://cloud.tniad.mil.id/apps/files_rightclick/js/files.js?v=6aa0d420-11">https://cloud.tniad.mil.id/apps/files_rightclick/js/files.js?v=6aa0d420-11</a>
Method	GET
Attack	
Evidence	Select
URL	<a href="https://cloud.tniad.mil.id/apps/files_rightclick/js/script.js?v=6aa0d420-11">https://cloud.tniad.mil.id/apps/files_rightclick/js/script.js?v=6aa0d420-11</a>
Method	GET
Attack	
Evidence	select
URL	<a href="https://cloud.tniad.mil.id/apps/files_rightclick/js/script.js?v=6aa0d420-11">https://cloud.tniad.mil.id/apps/files_rightclick/js/script.js?v=6aa0d420-11</a>
Method	GET
Attack	
Evidence	TODO
URL	<a href="https://cloud.tniad.mil.id/apps/files_rightclick/js/script.js?v=6aa0d420-11">https://cloud.tniad.mil.id/apps/files_rightclick/js/script.js?v=6aa0d420-11</a>
Method	GET
Attack	
Evidence	where

URL	<a href="https://cloud.tniad.mil.id/apps/files_sharing/js/dist/main.js?v=6aa0d420-11">https://cloud.tniad.mil.id/apps/files_sharing/js/dist/main.js?v=6aa0d420-11</a>
Method	GET
Attack	
Evidence	later
URL	<a href="https://cloud.tniad.mil.id/apps/files_videoplayer/js/files_videoplayer-main.js?v=6aa0d420-11">https://cloud.tniad.mil.id/apps/files_videoplayer/js/files_videoplayer-main.js?v=6aa0d420-11</a>
Method	GET
Attack	
Evidence	from
URL	<a href="https://cloud.tniad.mil.id/core/js/backgroundjobs.js?v=6aa0d420-11">https://cloud.tniad.mil.id/core/js/backgroundjobs.js?v=6aa0d420-11</a>
Method	GET
Attack	
Evidence	later
URL	<a href="https://cloud.tniad.mil.id/core/js/dist/files_client.js?v=6aa0d420-11">https://cloud.tniad.mil.id/core/js/dist/files_client.js?v=6aa0d420-11</a>
Method	GET
Attack	
Evidence	later
URL	<a href="https://cloud.tniad.mil.id/core/js/dist/files_client.js?v=6aa0d420-11">https://cloud.tniad.mil.id/core/js/dist/files_client.js?v=6aa0d420-11</a>
Method	GET
Attack	
Evidence	username
URL	<a href="https://cloud.tniad.mil.id/core/js/dist/files_fileinfo.js?v=6aa0d420-11">https://cloud.tniad.mil.id/core/js/dist/files_fileinfo.js?v=6aa0d420-11</a>
Method	GET
Attack	
Evidence	later
URL	<a href="https://cloud.tniad.mil.id/core/js/dist/files_fileinfo.js?v=6aa0d420-11">https://cloud.tniad.mil.id/core/js/dist/files_fileinfo.js?v=6aa0d420-11</a>
Method	GET
Attack	
Evidence	select
URL	<a href="https://cloud.tniad.mil.id/core/js/dist/login.js?v=6aa0d420-11">https://cloud.tniad.mil.id/core/js/dist/login.js?v=6aa0d420-11</a>
Method	GET
Attack	
Evidence	admin
URL	<a href="https://cloud.tniad.mil.id/core/js/dist/login.js?v=6aa0d420-11">https://cloud.tniad.mil.id/core/js/dist/login.js?v=6aa0d420-11</a>
Method	GET
Attack	
Evidence	from
URL	<a href="https://cloud.tniad.mil.id/core/js/dist/login.js?v=6aa0d420-11">https://cloud.tniad.mil.id/core/js/dist/login.js?v=6aa0d420-11</a>
Method	GET
Attack	
Evidence	later
URL	<a href="https://cloud.tniad.mil.id/core/js/dist/login.js?v=6aa0d420-11">https://cloud.tniad.mil.id/core/js/dist/login.js?v=6aa0d420-11</a>

Method	GET
Attack	
Evidence	query
URL	<a href="https://cloud.tniad.mil.id/core/js/dist/login.js?v=6aa0d420-11">https://cloud.tniad.mil.id/core/js/dist/login.js?v=6aa0d420-11</a>
Method	GET
Attack	
Evidence	select
URL	<a href="https://cloud.tniad.mil.id/core/js/dist/login.js?v=6aa0d420-11">https://cloud.tniad.mil.id/core/js/dist/login.js?v=6aa0d420-11</a>
Method	GET
Attack	
Evidence	user
URL	<a href="https://cloud.tniad.mil.id/core/js/dist/login.js?v=6aa0d420-11">https://cloud.tniad.mil.id/core/js/dist/login.js?v=6aa0d420-11</a>
Method	GET
Attack	
Evidence	username
URL	<a href="https://cloud.tniad.mil.id/core/js/dist/main.js?v=6aa0d420-11">https://cloud.tniad.mil.id/core/js/dist/main.js?v=6aa0d420-11</a>
Method	GET
Attack	
Evidence	admin
URL	<a href="https://cloud.tniad.mil.id/core/js/dist/main.js?v=6aa0d420-11">https://cloud.tniad.mil.id/core/js/dist/main.js?v=6aa0d420-11</a>
Method	GET
Attack	
Evidence	bug
URL	<a href="https://cloud.tniad.mil.id/core/js/dist/main.js?v=6aa0d420-11">https://cloud.tniad.mil.id/core/js/dist/main.js?v=6aa0d420-11</a>
Method	GET
Attack	
Evidence	FROM
URL	<a href="https://cloud.tniad.mil.id/core/js/dist/main.js?v=6aa0d420-11">https://cloud.tniad.mil.id/core/js/dist/main.js?v=6aa0d420-11</a>
Method	GET
Attack	
Evidence	later
URL	<a href="https://cloud.tniad.mil.id/core/js/dist/main.js?v=6aa0d420-11">https://cloud.tniad.mil.id/core/js/dist/main.js?v=6aa0d420-11</a>
Method	GET
Attack	
Evidence	query
URL	<a href="https://cloud.tniad.mil.id/core/js/dist/main.js?v=6aa0d420-11">https://cloud.tniad.mil.id/core/js/dist/main.js?v=6aa0d420-11</a>
Method	GET
Attack	
Evidence	select
URL	<a href="https://cloud.tniad.mil.id/core/js/dist/main.js?v=6aa0d420-11">https://cloud.tniad.mil.id/core/js/dist/main.js?v=6aa0d420-11</a>
Method	GET

Attack	
Evidence	user
URL	<a href="https://cloud.tniad.mil.id/core/js/dist/main.js?v=6aa0d420-11">https://cloud.tniad.mil.id/core/js/dist/main.js?v=6aa0d420-11</a>
Method	GET
Attack	
Evidence	username
URL	<a href="https://cloud.tniad.mil.id/index.php/core/js/oc.js?v=6aa0d420">https://cloud.tniad.mil.id/index.php/core/js/oc.js?v=6aa0d420</a>
Method	GET
Attack	
Evidence	user
URL	<a href="https://cloud.tniad.mil.id/index.php/core/js/oc.js?v=6aa0d420%27+AND+%271%27%3D%271%27+--+">https://cloud.tniad.mil.id/index.php/core/js/oc.js?v=6aa0d420%27+AND+%271%27%3D%271%27+--+</a>
Method	GET
Attack	
Evidence	user
URL	<a href="https://cloud.tniad.mil.id/index.php/js/core/merged-template-prepend.js?v=6aa0d420-11">https://cloud.tniad.mil.id/index.php/js/core/merged-template-prepend.js?v=6aa0d420-11</a>
Method	GET
Attack	
Evidence	from
URL	<a href="https://cloud.tniad.mil.id/index.php/js/core/merged-template-prepend.js?v=6aa0d420-11">https://cloud.tniad.mil.id/index.php/js/core/merged-template-prepend.js?v=6aa0d420-11</a>
Method	GET
Attack	
Evidence	later
URL	<a href="https://cloud.tniad.mil.id/index.php/js/core/merged-template-prepend.js?v=6aa0d420-11">https://cloud.tniad.mil.id/index.php/js/core/merged-template-prepend.js?v=6aa0d420-11</a>
Method	GET
Attack	
Evidence	select
URL	<a href="https://cloud.tniad.mil.id/index.php/login">https://cloud.tniad.mil.id/index.php/login</a>
Method	GET
Attack	
Evidence	user
URL	<a href="https://cloud.tniad.mil.id/index.php/login">https://cloud.tniad.mil.id/index.php/login</a>
Method	GET
Attack	
Evidence	user
URL	<a href="https://cloud.tniad.mil.id/index.php/login">https://cloud.tniad.mil.id/index.php/login</a>
Method	GET
Attack	
Evidence	user
URL	<a href="https://cloud.tniad.mil.id/index.php/login">https://cloud.tniad.mil.id/index.php/login</a>
Method	GET

Attack	
Evidence	user
URL	<a href="https://cloud.tniad.mil.id/index.php/login">https://cloud.tniad.mil.id/index.php/login</a>
Method	GET
Attack	
Evidence	user
URL	<a href="https://cloud.tniad.mil.id/index.php/login">https://cloud.tniad.mil.id/index.php/login</a>
Method	GET
Attack	
Evidence	user
URL	<a href="https://cloud.tniad.mil.id/index.php/login">https://cloud.tniad.mil.id/index.php/login</a>
Method	GET
Attack	
Evidence	user
URL	<a href="https://cloud.tniad.mil.id/index.php/login">https://cloud.tniad.mil.id/index.php/login</a>
Method	GET
Attack	
Evidence	user
URL	<a href="https://cloud.tniad.mil.id/index.php/login">https://cloud.tniad.mil.id/index.php/login</a>
Method	GET
Attack	
Evidence	user
URL	<a href="https://cloud.tniad.mil.id/index.php/login">https://cloud.tniad.mil.id/index.php/login</a>
Method	GET
Attack	
Evidence	user
URL	<a href="https://cloud.tniad.mil.id/index.php/login">https://cloud.tniad.mil.id/index.php/login</a>
Method	GET
Attack	
Evidence	user
Instances	42
Solution	Remove all comments that return information that may help an attacker and fix any underlying problems they refer to.
Reference	
CWE Id	<a href="#">200</a>
WASC Id	13
Plugin Id	<a href="#">10027</a>

Informational	Modern Web Application
Description	The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
URL	<a href="https://cloud.tniad.mil.id/">https://cloud.tniad.mil.id/</a>
Method	GET
Attack	
Evidence	<noscript> <div id="nojavascript"> <div> This application requires JavaScript for correct operation. Please <a href="https://www.enable-javascript.com/" target="_blank" rel="nofollow norefferrer noopener">enable JavaScript</a> and reload the page. </div> </div> </noscript>
URL	<a href="https://cloud.tniad.mil.id/apps/files_rightclick/js/script.js?v=6aa0d420-11">https://cloud.tniad.mil.id/apps/files_rightclick/js/script.js?v=6aa0d420-11</a>



Method	GET
Attack	
Evidence	<a>
URL	<a href="https://cloud.tniad.mil.id/core/js/dist/files_client.js?v=6aa0d420-11">https://cloud.tniad.mil.id/core/js/dist/files_client.js?v=6aa0d420-11</a>
Method	GET
Attack	
Evidence	<a id="+x+"></a>
URL	<a href="https://cloud.tniad.mil.id/core/js/dist/login.js?v=6aa0d420-11">https://cloud.tniad.mil.id/core/js/dist/login.js?v=6aa0d420-11</a>
Method	GET
Attack	
Evidence	<a id="+M+"></a>
URL	<a href="https://cloud.tniad.mil.id/core/js/dist/main.js?v=6aa0d420-11">https://cloud.tniad.mil.id/core/js/dist/main.js?v=6aa0d420-11</a>
Method	GET
Attack	
Evidence	<a id="+b+"></a>
URL	<a href="https://cloud.tniad.mil.id/index.php/login">https://cloud.tniad.mil.id/index.php/login</a>
Method	GET
Attack	
Evidence	<noscript> <div id="nojavascript"> <div> This application requires JavaScript for correct operation. Please <a href="https://www.enable-javascript.com/" target="_blank" rel="nofollow noopener">enable JavaScript</a> and reload the page. </div> </div> </noscript>
Instances	6
Solution	This is an informational alert and so no changes are required.
Reference	
CWE Id	
WASC Id	
Plugin Id	<a href="#">10109</a>

Informational	Re-examine Cache-control Directives
Description	The cache-control header has not been set properly or is missing, allowing the browser and proxies to cache content. For static assets like css, js, or image files this might be intended, however, the resources should be reviewed to ensure that no sensitive content will be cached.
URL	<a href="https://cloud.tniad.mil.id/index.php/apps/theming/manifest?v=11">https://cloud.tniad.mil.id/index.php/apps/theming/manifest?v=11</a>
Method	GET
Attack	
Evidence	private, max-age=3600, must-revalidate
URL	<a href="https://cloud.tniad.mil.id/robots.txt">https://cloud.tniad.mil.id/robots.txt</a>
Method	GET
Attack	
Evidence	
Instances	2
Solution	For secure content, ensure the cache-control HTTP header is set with "no-cache, no-store, must-revalidate". If an asset should be cached consider setting the directives "public, max-age, immutable".

Reference	<a href="https://cheatsheetseries.owasp.org/cheatsheets/Session_Management_Cheat_Sheet.html#web-content-caching">https://cheatsheetseries.owasp.org/cheatsheets/Session_Management_Cheat_Sheet.html#web-content-caching</a> <a href="https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/Cache-Control">https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/Cache-Control</a> <a href="https://grayduck.mn/2021/09/13/cache-control-recommendations/">https://grayduck.mn/2021/09/13/cache-control-recommendations/</a>
CWE Id	<a href="#">525</a>
WASC Id	13
Plugin Id	<a href="#">10015</a>

Informational	User Agent Fuzzer
Description	Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.
URL	<a href="https://cloud.tniad.mil.id">https://cloud.tniad.mil.id</a>
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
URL	<a href="https://cloud.tniad.mil.id">https://cloud.tniad.mil.id</a>
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
URL	<a href="https://cloud.tniad.mil.id">https://cloud.tniad.mil.id</a>
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
URL	<a href="https://cloud.tniad.mil.id">https://cloud.tniad.mil.id</a>
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
URL	<a href="https://cloud.tniad.mil.id">https://cloud.tniad.mil.id</a>
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
URL	<a href="https://cloud.tniad.mil.id">https://cloud.tniad.mil.id</a>
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
URL	<a href="https://cloud.tniad.mil.id">https://cloud.tniad.mil.id</a>
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
URL	<a href="https://cloud.tniad.mil.id">https://cloud.tniad.mil.id</a>
Method	GET
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)

Evidence	
URL	<a href="https://cloud.tniad.mil.id">https://cloud.tniad.mil.id</a>
Method	GET
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
URL	<a href="https://cloud.tniad.mil.id">https://cloud.tniad.mil.id</a>
Method	GET
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
URL	<a href="https://cloud.tniad.mil.id">https://cloud.tniad.mil.id</a>
Method	GET
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
URL	<a href="https://cloud.tniad.mil.id">https://cloud.tniad.mil.id</a>
Method	GET
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/">https://cloud.tniad.mil.id/</a>
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/">https://cloud.tniad.mil.id/</a>
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/">https://cloud.tniad.mil.id/</a>
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/">https://cloud.tniad.mil.id/</a>
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
URL	<a href="https://cloud.tniad.mil.id/">https://cloud.tniad.mil.id/</a>
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
URL	<a href="https://cloud.tniad.mil.id/">https://cloud.tniad.mil.id/</a>
Method	GET

Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
URL	<a href="https://cloud.tniad.mil.id/">https://cloud.tniad.mil.id/</a>
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
URL	<a href="https://cloud.tniad.mil.id/">https://cloud.tniad.mil.id/</a>
Method	GET
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/">https://cloud.tniad.mil.id/</a>
Method	GET
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/">https://cloud.tniad.mil.id/</a>
Method	GET
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
URL	<a href="https://cloud.tniad.mil.id/">https://cloud.tniad.mil.id/</a>
Method	GET
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
URL	<a href="https://cloud.tniad.mil.id/">https://cloud.tniad.mil.id/</a>
Method	GET
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps">https://cloud.tniad.mil.id/apps</a>
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps">https://cloud.tniad.mil.id/apps</a>
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps">https://cloud.tniad.mil.id/apps</a>
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps">https://cloud.tniad.mil.id/apps</a>

Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps">https://cloud.tniad.mil.id/apps</a>
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps">https://cloud.tniad.mil.id/apps</a>
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps">https://cloud.tniad.mil.id/apps</a>
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps">https://cloud.tniad.mil.id/apps</a>
Method	GET
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps">https://cloud.tniad.mil.id/apps</a>
Method	GET
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps">https://cloud.tniad.mil.id/apps</a>
Method	GET
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps">https://cloud.tniad.mil.id/apps</a>
Method	GET
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps">https://cloud.tniad.mil.id/apps</a>
Method	GET
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/accessibility">https://cloud.tniad.mil.id/apps/accessibility</a>
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	

URL	<a href="https://cloud.tniad.mil.id/apps/accessibility">https://cloud.tniad.mil.id/apps/accessibility</a>
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/accessibility">https://cloud.tniad.mil.id/apps/accessibility</a>
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/accessibility">https://cloud.tniad.mil.id/apps/accessibility</a>
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/accessibility">https://cloud.tniad.mil.id/apps/accessibility</a>
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/accessibility">https://cloud.tniad.mil.id/apps/accessibility</a>
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/accessibility">https://cloud.tniad.mil.id/apps/accessibility</a>
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/accessibility">https://cloud.tniad.mil.id/apps/accessibility</a>
Method	GET
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/accessibility">https://cloud.tniad.mil.id/apps/accessibility</a>
Method	GET
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/accessibility">https://cloud.tniad.mil.id/apps/accessibility</a>
Method	GET
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/accessibility">https://cloud.tniad.mil.id/apps/accessibility</a>
Method	GET
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16

Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/accessibility">https://cloud.tniad.mil.id/apps/accessibility</a>
Method	GET
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/accessibility/js">https://cloud.tniad.mil.id/apps/accessibility/js</a>
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/accessibility/js">https://cloud.tniad.mil.id/apps/accessibility/js</a>
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/accessibility/js">https://cloud.tniad.mil.id/apps/accessibility/js</a>
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/accessibility/js">https://cloud.tniad.mil.id/apps/accessibility/js</a>
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/accessibility/js">https://cloud.tniad.mil.id/apps/accessibility/js</a>
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/accessibility/js">https://cloud.tniad.mil.id/apps/accessibility/js</a>
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/accessibility/js">https://cloud.tniad.mil.id/apps/accessibility/js</a>
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/accessibility/js">https://cloud.tniad.mil.id/apps/accessibility/js</a>
Method	GET
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/accessibility/js">https://cloud.tniad.mil.id/apps/accessibility/js</a>
Method	GET
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)

Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/accessibility/js">https://cloud.tniad.mil.id/apps/accessibility/js</a>
Method	GET
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/accessibility/js">https://cloud.tniad.mil.id/apps/accessibility/js</a>
Method	GET
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/accessibility/js">https://cloud.tniad.mil.id/apps/accessibility/js</a>
Method	GET
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/files_rightclick">https://cloud.tniad.mil.id/apps/files_rightclick</a>
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/files_rightclick">https://cloud.tniad.mil.id/apps/files_rightclick</a>
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/files_rightclick">https://cloud.tniad.mil.id/apps/files_rightclick</a>
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/files_rightclick">https://cloud.tniad.mil.id/apps/files_rightclick</a>
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/files_rightclick">https://cloud.tniad.mil.id/apps/files_rightclick</a>
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/files_rightclick">https://cloud.tniad.mil.id/apps/files_rightclick</a>
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/files_rightclick">https://cloud.tniad.mil.id/apps/files_rightclick</a>
Method	GET



Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/files_rightclick">https://cloud.tniad.mil.id/apps/files_rightclick</a>
Method	GET
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/files_rightclick">https://cloud.tniad.mil.id/apps/files_rightclick</a>
Method	GET
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/files_rightclick">https://cloud.tniad.mil.id/apps/files_rightclick</a>
Method	GET
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/files_rightclick">https://cloud.tniad.mil.id/apps/files_rightclick</a>
Method	GET
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/files_rightclick">https://cloud.tniad.mil.id/apps/files_rightclick</a>
Method	GET
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/files_rightclick/css">https://cloud.tniad.mil.id/apps/files_rightclick/css</a>
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/files_rightclick/css">https://cloud.tniad.mil.id/apps/files_rightclick/css</a>
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/files_rightclick/css">https://cloud.tniad.mil.id/apps/files_rightclick/css</a>
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/files_rightclick/css">https://cloud.tniad.mil.id/apps/files_rightclick/css</a>
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/files_rightclick/css">https://cloud.tniad.mil.id/apps/files_rightclick/css</a>

Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/files_rightclick/css">https://cloud.tniad.mil.id/apps/files_rightclick/css</a>
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/files_rightclick/css">https://cloud.tniad.mil.id/apps/files_rightclick/css</a>
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/files_rightclick/css">https://cloud.tniad.mil.id/apps/files_rightclick/css</a>
Method	GET
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/files_rightclick/css">https://cloud.tniad.mil.id/apps/files_rightclick/css</a>
Method	GET
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/files_rightclick/css">https://cloud.tniad.mil.id/apps/files_rightclick/css</a>
Method	GET
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/files_rightclick/css">https://cloud.tniad.mil.id/apps/files_rightclick/css</a>
Method	GET
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/files_rightclick/css">https://cloud.tniad.mil.id/apps/files_rightclick/css</a>
Method	GET
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/files_rightclick/js">https://cloud.tniad.mil.id/apps/files_rightclick/js</a>
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/files_rightclick/js">https://cloud.tniad.mil.id/apps/files_rightclick/js</a>
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	

URL	<a href="https://cloud.tniad.mil.id/apps/files_rightclick/js">https://cloud.tniad.mil.id/apps/files_rightclick/js</a>
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/files_rightclick/js">https://cloud.tniad.mil.id/apps/files_rightclick/js</a>
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/files_rightclick/js">https://cloud.tniad.mil.id/apps/files_rightclick/js</a>
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/files_rightclick/js">https://cloud.tniad.mil.id/apps/files_rightclick/js</a>
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/files_rightclick/js">https://cloud.tniad.mil.id/apps/files_rightclick/js</a>
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/files_rightclick/js">https://cloud.tniad.mil.id/apps/files_rightclick/js</a>
Method	GET
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/files_rightclick/js">https://cloud.tniad.mil.id/apps/files_rightclick/js</a>
Method	GET
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/files_rightclick/js">https://cloud.tniad.mil.id/apps/files_rightclick/js</a>
Method	GET
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/files_rightclick/js">https://cloud.tniad.mil.id/apps/files_rightclick/js</a>
Method	GET
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/files_rightclick/js">https://cloud.tniad.mil.id/apps/files_rightclick/js</a>
Method	GET
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)

Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/files_sharing">https://cloud.tniad.mil.id/apps/files_sharing</a>
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/files_sharing">https://cloud.tniad.mil.id/apps/files_sharing</a>
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/files_sharing">https://cloud.tniad.mil.id/apps/files_sharing</a>
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/files_sharing">https://cloud.tniad.mil.id/apps/files_sharing</a>
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/files_sharing">https://cloud.tniad.mil.id/apps/files_sharing</a>
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/files_sharing">https://cloud.tniad.mil.id/apps/files_sharing</a>
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/files_sharing">https://cloud.tniad.mil.id/apps/files_sharing</a>
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/files_sharing">https://cloud.tniad.mil.id/apps/files_sharing</a>
Method	GET
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/files_sharing">https://cloud.tniad.mil.id/apps/files_sharing</a>
Method	GET
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/files_sharing">https://cloud.tniad.mil.id/apps/files_sharing</a>
Method	GET
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML,

Attack	like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/files_sharing">https://cloud.tniad.mil.id/apps/files_sharing</a>
Method	GET
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/files_sharing">https://cloud.tniad.mil.id/apps/files_sharing</a>
Method	GET
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/files_sharing/js">https://cloud.tniad.mil.id/apps/files_sharing/js</a>
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/files_sharing/js">https://cloud.tniad.mil.id/apps/files_sharing/js</a>
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/files_sharing/js">https://cloud.tniad.mil.id/apps/files_sharing/js</a>
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/files_sharing/js">https://cloud.tniad.mil.id/apps/files_sharing/js</a>
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/files_sharing/js">https://cloud.tniad.mil.id/apps/files_sharing/js</a>
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/files_sharing/js">https://cloud.tniad.mil.id/apps/files_sharing/js</a>
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/files_sharing/js">https://cloud.tniad.mil.id/apps/files_sharing/js</a>
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/files_sharing/js">https://cloud.tniad.mil.id/apps/files_sharing/js</a>

Method	GET
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/files_sharing/js">https://cloud.tniad.mil.id/apps/files_sharing/js</a>
Method	GET
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/files_sharing/js">https://cloud.tniad.mil.id/apps/files_sharing/js</a>
Method	GET
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/files_sharing/js">https://cloud.tniad.mil.id/apps/files_sharing/js</a>
Method	GET
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/files_sharing/js">https://cloud.tniad.mil.id/apps/files_sharing/js</a>
Method	GET
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/files_sharing/js/dist">https://cloud.tniad.mil.id/apps/files_sharing/js/dist</a>
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/files_sharing/js/dist">https://cloud.tniad.mil.id/apps/files_sharing/js/dist</a>
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/files_sharing/js/dist">https://cloud.tniad.mil.id/apps/files_sharing/js/dist</a>
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/files_sharing/js/dist">https://cloud.tniad.mil.id/apps/files_sharing/js/dist</a>
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/files_sharing/js/dist">https://cloud.tniad.mil.id/apps/files_sharing/js/dist</a>
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	

URL	<a href="https://cloud.tniad.mil.id/apps/files_sharing/js/dist">https://cloud.tniad.mil.id/apps/files_sharing/js/dist</a>
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/files_sharing/js/dist">https://cloud.tniad.mil.id/apps/files_sharing/js/dist</a>
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/files_sharing/js/dist">https://cloud.tniad.mil.id/apps/files_sharing/js/dist</a>
Method	GET
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/files_sharing/js/dist">https://cloud.tniad.mil.id/apps/files_sharing/js/dist</a>
Method	GET
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/files_sharing/js/dist">https://cloud.tniad.mil.id/apps/files_sharing/js/dist</a>
Method	GET
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/files_sharing/js/dist">https://cloud.tniad.mil.id/apps/files_sharing/js/dist</a>
Method	GET
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/files_sharing/js/dist">https://cloud.tniad.mil.id/apps/files_sharing/js/dist</a>
Method	GET
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/files_videoplayer">https://cloud.tniad.mil.id/apps/files_videoplayer</a>
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/files_videoplayer">https://cloud.tniad.mil.id/apps/files_videoplayer</a>
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/files_videoplayer">https://cloud.tniad.mil.id/apps/files_videoplayer</a>
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	

Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/files_videoplayer">https://cloud.tniad.mil.id/apps/files_videoplayer</a>
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/files_videoplayer">https://cloud.tniad.mil.id/apps/files_videoplayer</a>
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/files_videoplayer">https://cloud.tniad.mil.id/apps/files_videoplayer</a>
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/files_videoplayer">https://cloud.tniad.mil.id/apps/files_videoplayer</a>
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/files_videoplayer">https://cloud.tniad.mil.id/apps/files_videoplayer</a>
Method	GET
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/files_videoplayer">https://cloud.tniad.mil.id/apps/files_videoplayer</a>
Method	GET
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/files_videoplayer">https://cloud.tniad.mil.id/apps/files_videoplayer</a>
Method	GET
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/files_videoplayer">https://cloud.tniad.mil.id/apps/files_videoplayer</a>
Method	GET
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/files_videoplayer">https://cloud.tniad.mil.id/apps/files_videoplayer</a>
Method	GET
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/files_videoplayer/js">https://cloud.tniad.mil.id/apps/files_videoplayer/js</a>
Method	GET



Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/files_videoplayer/js">https://cloud.tniad.mil.id/apps/files_videoplayer/js</a>
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/files_videoplayer/js">https://cloud.tniad.mil.id/apps/files_videoplayer/js</a>
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/files_videoplayer/js">https://cloud.tniad.mil.id/apps/files_videoplayer/js</a>
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/files_videoplayer/js">https://cloud.tniad.mil.id/apps/files_videoplayer/js</a>
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/files_videoplayer/js">https://cloud.tniad.mil.id/apps/files_videoplayer/js</a>
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/files_videoplayer/js">https://cloud.tniad.mil.id/apps/files_videoplayer/js</a>
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/files_videoplayer/js">https://cloud.tniad.mil.id/apps/files_videoplayer/js</a>
Method	GET
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/files_videoplayer/js">https://cloud.tniad.mil.id/apps/files_videoplayer/js</a>
Method	GET
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/files_videoplayer/js">https://cloud.tniad.mil.id/apps/files_videoplayer/js</a>
Method	GET
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/files_videoplayer/js">https://cloud.tniad.mil.id/apps/files_videoplayer/js</a>

Method	GET
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/files_videoplayer/js">https://cloud.tniad.mil.id/apps/files_videoplayer/js</a>
Method	GET
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/integration_zimbra">https://cloud.tniad.mil.id/apps/integration_zimbra</a>
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/integration_zimbra">https://cloud.tniad.mil.id/apps/integration_zimbra</a>
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/integration_zimbra">https://cloud.tniad.mil.id/apps/integration_zimbra</a>
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/integration_zimbra">https://cloud.tniad.mil.id/apps/integration_zimbra</a>
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/integration_zimbra">https://cloud.tniad.mil.id/apps/integration_zimbra</a>
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/integration_zimbra">https://cloud.tniad.mil.id/apps/integration_zimbra</a>
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/integration_zimbra">https://cloud.tniad.mil.id/apps/integration_zimbra</a>
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/integration_zimbra">https://cloud.tniad.mil.id/apps/integration_zimbra</a>
Method	GET
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	

URL	<a href="https://cloud.tniad.mil.id/apps/integration_zimbra">https://cloud.tniad.mil.id/apps/integration_zimbra</a>
Method	GET
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/integration_zimbra">https://cloud.tniad.mil.id/apps/integration_zimbra</a>
Method	GET
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/integration_zimbra">https://cloud.tniad.mil.id/apps/integration_zimbra</a>
Method	GET
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/integration_zimbra">https://cloud.tniad.mil.id/apps/integration_zimbra</a>
Method	GET
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/integration_zimbra/css">https://cloud.tniad.mil.id/apps/integration_zimbra/css</a>
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/integration_zimbra/css">https://cloud.tniad.mil.id/apps/integration_zimbra/css</a>
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/integration_zimbra/css">https://cloud.tniad.mil.id/apps/integration_zimbra/css</a>
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/integration_zimbra/css">https://cloud.tniad.mil.id/apps/integration_zimbra/css</a>
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/integration_zimbra/css">https://cloud.tniad.mil.id/apps/integration_zimbra/css</a>
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/integration_zimbra/css">https://cloud.tniad.mil.id/apps/integration_zimbra/css</a>
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36

Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/integration_zimbra/css">https://cloud.tniad.mil.id/apps/integration_zimbra/css</a>
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/integration_zimbra/css">https://cloud.tniad.mil.id/apps/integration_zimbra/css</a>
Method	GET
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/integration_zimbra/css">https://cloud.tniad.mil.id/apps/integration_zimbra/css</a>
Method	GET
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/integration_zimbra/css">https://cloud.tniad.mil.id/apps/integration_zimbra/css</a>
Method	GET
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/integration_zimbra/css">https://cloud.tniad.mil.id/apps/integration_zimbra/css</a>
Method	GET
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/integration_zimbra/css">https://cloud.tniad.mil.id/apps/integration_zimbra/css</a>
Method	GET
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/theming">https://cloud.tniad.mil.id/apps/theming</a>
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/theming">https://cloud.tniad.mil.id/apps/theming</a>
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/theming">https://cloud.tniad.mil.id/apps/theming</a>
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/theming">https://cloud.tniad.mil.id/apps/theming</a>
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko

Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/theming">https://cloud.tniad.mil.id/apps/theming</a>
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/theming">https://cloud.tniad.mil.id/apps/theming</a>
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/theming">https://cloud.tniad.mil.id/apps/theming</a>
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/theming">https://cloud.tniad.mil.id/apps/theming</a>
Method	GET
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/theming">https://cloud.tniad.mil.id/apps/theming</a>
Method	GET
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/theming">https://cloud.tniad.mil.id/apps/theming</a>
Method	GET
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/theming">https://cloud.tniad.mil.id/apps/theming</a>
Method	GET
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/theming">https://cloud.tniad.mil.id/apps/theming</a>
Method	GET
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/theming/js">https://cloud.tniad.mil.id/apps/theming/js</a>
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/theming/js">https://cloud.tniad.mil.id/apps/theming/js</a>
Method	GET

Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/theming/js">https://cloud.tniad.mil.id/apps/theming/js</a>
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/theming/js">https://cloud.tniad.mil.id/apps/theming/js</a>
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/theming/js">https://cloud.tniad.mil.id/apps/theming/js</a>
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/theming/js">https://cloud.tniad.mil.id/apps/theming/js</a>
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/theming/js">https://cloud.tniad.mil.id/apps/theming/js</a>
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/theming/js">https://cloud.tniad.mil.id/apps/theming/js</a>
Method	GET
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/theming/js">https://cloud.tniad.mil.id/apps/theming/js</a>
Method	GET
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/theming/js">https://cloud.tniad.mil.id/apps/theming/js</a>
Method	GET
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/theming/js">https://cloud.tniad.mil.id/apps/theming/js</a>
Method	GET
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
URL	<a href="https://cloud.tniad.mil.id/apps/theming/js">https://cloud.tniad.mil.id/apps/theming/js</a>

Method	GET
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/core">https://cloud.tniad.mil.id/core</a>
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/core">https://cloud.tniad.mil.id/core</a>
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/core">https://cloud.tniad.mil.id/core</a>
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/core">https://cloud.tniad.mil.id/core</a>
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
URL	<a href="https://cloud.tniad.mil.id/core">https://cloud.tniad.mil.id/core</a>
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
URL	<a href="https://cloud.tniad.mil.id/core">https://cloud.tniad.mil.id/core</a>
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
URL	<a href="https://cloud.tniad.mil.id/core">https://cloud.tniad.mil.id/core</a>
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
URL	<a href="https://cloud.tniad.mil.id/core">https://cloud.tniad.mil.id/core</a>
Method	GET
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/core">https://cloud.tniad.mil.id/core</a>
Method	GET
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	

URL	<a href="https://cloud.tniad.mil.id/core">https://cloud.tniad.mil.id/core</a>
Method	GET
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
URL	<a href="https://cloud.tniad.mil.id/core">https://cloud.tniad.mil.id/core</a>
Method	GET
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
URL	<a href="https://cloud.tniad.mil.id/core">https://cloud.tniad.mil.id/core</a>
Method	GET
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/core/css">https://cloud.tniad.mil.id/core/css</a>
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/core/css">https://cloud.tniad.mil.id/core/css</a>
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/core/css">https://cloud.tniad.mil.id/core/css</a>
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/core/css">https://cloud.tniad.mil.id/core/css</a>
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
URL	<a href="https://cloud.tniad.mil.id/core/css">https://cloud.tniad.mil.id/core/css</a>
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
URL	<a href="https://cloud.tniad.mil.id/core/css">https://cloud.tniad.mil.id/core/css</a>
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
URL	<a href="https://cloud.tniad.mil.id/core/css">https://cloud.tniad.mil.id/core/css</a>
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0



Evidence	
URL	<a href="https://cloud.tniad.mil.id/core/css">https://cloud.tniad.mil.id/core/css</a>
Method	GET
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/core/css">https://cloud.tniad.mil.id/core/css</a>
Method	GET
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/core/css">https://cloud.tniad.mil.id/core/css</a>
Method	GET
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
URL	<a href="https://cloud.tniad.mil.id/core/css">https://cloud.tniad.mil.id/core/css</a>
Method	GET
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
URL	<a href="https://cloud.tniad.mil.id/core/css">https://cloud.tniad.mil.id/core/css</a>
Method	GET
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/core/img">https://cloud.tniad.mil.id/core/img</a>
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/core/img">https://cloud.tniad.mil.id/core/img</a>
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/core/img">https://cloud.tniad.mil.id/core/img</a>
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/core/img">https://cloud.tniad.mil.id/core/img</a>
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
URL	<a href="https://cloud.tniad.mil.id/core/img">https://cloud.tniad.mil.id/core/img</a>
Method	GET
	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko)

Attack	Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
URL	<a href="https://cloud.tniad.mil.id/core/img">https://cloud.tniad.mil.id/core/img</a>
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
URL	<a href="https://cloud.tniad.mil.id/core/img">https://cloud.tniad.mil.id/core/img</a>
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
URL	<a href="https://cloud.tniad.mil.id/core/img">https://cloud.tniad.mil.id/core/img</a>
Method	GET
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/core/img">https://cloud.tniad.mil.id/core/img</a>
Method	GET
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/core/img">https://cloud.tniad.mil.id/core/img</a>
Method	GET
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
URL	<a href="https://cloud.tniad.mil.id/core/img">https://cloud.tniad.mil.id/core/img</a>
Method	GET
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
URL	<a href="https://cloud.tniad.mil.id/core/img">https://cloud.tniad.mil.id/core/img</a>
Method	GET
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/core/js">https://cloud.tniad.mil.id/core/js</a>
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/core/js">https://cloud.tniad.mil.id/core/js</a>
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/core/js">https://cloud.tniad.mil.id/core/js</a>

Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/core/js">https://cloud.tniad.mil.id/core/js</a>
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
URL	<a href="https://cloud.tniad.mil.id/core/js">https://cloud.tniad.mil.id/core/js</a>
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
URL	<a href="https://cloud.tniad.mil.id/core/js">https://cloud.tniad.mil.id/core/js</a>
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
URL	<a href="https://cloud.tniad.mil.id/core/js">https://cloud.tniad.mil.id/core/js</a>
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
URL	<a href="https://cloud.tniad.mil.id/core/js">https://cloud.tniad.mil.id/core/js</a>
Method	GET
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/core/js">https://cloud.tniad.mil.id/core/js</a>
Method	GET
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/core/js">https://cloud.tniad.mil.id/core/js</a>
Method	GET
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
URL	<a href="https://cloud.tniad.mil.id/core/js">https://cloud.tniad.mil.id/core/js</a>
Method	GET
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
URL	<a href="https://cloud.tniad.mil.id/core/js">https://cloud.tniad.mil.id/core/js</a>
Method	GET
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	

URL	<a href="https://cloud.tniad.mil.id/core/js/dist">https://cloud.tniad.mil.id/core/js/dist</a>
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/core/js/dist">https://cloud.tniad.mil.id/core/js/dist</a>
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/core/js/dist">https://cloud.tniad.mil.id/core/js/dist</a>
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/core/js/dist">https://cloud.tniad.mil.id/core/js/dist</a>
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
URL	<a href="https://cloud.tniad.mil.id/core/js/dist">https://cloud.tniad.mil.id/core/js/dist</a>
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
URL	<a href="https://cloud.tniad.mil.id/core/js/dist">https://cloud.tniad.mil.id/core/js/dist</a>
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
URL	<a href="https://cloud.tniad.mil.id/core/js/dist">https://cloud.tniad.mil.id/core/js/dist</a>
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
URL	<a href="https://cloud.tniad.mil.id/core/js/dist">https://cloud.tniad.mil.id/core/js/dist</a>
Method	GET
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/core/js/dist">https://cloud.tniad.mil.id/core/js/dist</a>
Method	GET
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/core/js/dist">https://cloud.tniad.mil.id/core/js/dist</a>
Method	GET
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4

Evidence	
URL	<a href="https://cloud.tniad.mil.id/core/js/dist">https://cloud.tniad.mil.id/core/js/dist</a>
Method	GET
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
URL	<a href="https://cloud.tniad.mil.id/core/js/dist">https://cloud.tniad.mil.id/core/js/dist</a>
Method	GET
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/index.php">https://cloud.tniad.mil.id/index.php</a>
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/index.php">https://cloud.tniad.mil.id/index.php</a>
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/index.php">https://cloud.tniad.mil.id/index.php</a>
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/index.php">https://cloud.tniad.mil.id/index.php</a>
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
URL	<a href="https://cloud.tniad.mil.id/index.php">https://cloud.tniad.mil.id/index.php</a>
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
URL	<a href="https://cloud.tniad.mil.id/index.php">https://cloud.tniad.mil.id/index.php</a>
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
URL	<a href="https://cloud.tniad.mil.id/index.php">https://cloud.tniad.mil.id/index.php</a>
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
URL	<a href="https://cloud.tniad.mil.id/index.php">https://cloud.tniad.mil.id/index.php</a>
Method	GET

Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/index.php">https://cloud.tniad.mil.id/index.php</a>
Method	GET
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/index.php">https://cloud.tniad.mil.id/index.php</a>
Method	GET
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
URL	<a href="https://cloud.tniad.mil.id/index.php">https://cloud.tniad.mil.id/index.php</a>
Method	GET
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
URL	<a href="https://cloud.tniad.mil.id/index.php">https://cloud.tniad.mil.id/index.php</a>
Method	GET
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/index.php/apps">https://cloud.tniad.mil.id/index.php/apps</a>
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/index.php/apps">https://cloud.tniad.mil.id/index.php/apps</a>
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/index.php/apps">https://cloud.tniad.mil.id/index.php/apps</a>
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/index.php/apps">https://cloud.tniad.mil.id/index.php/apps</a>
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
URL	<a href="https://cloud.tniad.mil.id/index.php/apps">https://cloud.tniad.mil.id/index.php/apps</a>
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
URL	<a href="https://cloud.tniad.mil.id/index.php/apps">https://cloud.tniad.mil.id/index.php/apps</a>

Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
URL	<a href="https://cloud.tniad.mil.id/index.php/apps">https://cloud.tniad.mil.id/index.php/apps</a>
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
URL	<a href="https://cloud.tniad.mil.id/index.php/apps">https://cloud.tniad.mil.id/index.php/apps</a>
Method	GET
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/index.php/apps">https://cloud.tniad.mil.id/index.php/apps</a>
Method	GET
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/index.php/apps">https://cloud.tniad.mil.id/index.php/apps</a>
Method	GET
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
URL	<a href="https://cloud.tniad.mil.id/index.php/apps">https://cloud.tniad.mil.id/index.php/apps</a>
Method	GET
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
URL	<a href="https://cloud.tniad.mil.id/index.php/apps">https://cloud.tniad.mil.id/index.php/apps</a>
Method	GET
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/index.php/apps/accessibility">https://cloud.tniad.mil.id/index.php/apps/accessibility</a>
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/index.php/apps/accessibility">https://cloud.tniad.mil.id/index.php/apps/accessibility</a>
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/index.php/apps/accessibility">https://cloud.tniad.mil.id/index.php/apps/accessibility</a>
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	

URL	<a href="https://cloud.tniad.mil.id/index.php/apps/accessibility">https://cloud.tniad.mil.id/index.php/apps/accessibility</a>
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
URL	<a href="https://cloud.tniad.mil.id/index.php/apps/accessibility">https://cloud.tniad.mil.id/index.php/apps/accessibility</a>
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
URL	<a href="https://cloud.tniad.mil.id/index.php/apps/accessibility">https://cloud.tniad.mil.id/index.php/apps/accessibility</a>
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
URL	<a href="https://cloud.tniad.mil.id/index.php/apps/accessibility">https://cloud.tniad.mil.id/index.php/apps/accessibility</a>
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
URL	<a href="https://cloud.tniad.mil.id/index.php/apps/accessibility">https://cloud.tniad.mil.id/index.php/apps/accessibility</a>
Method	GET
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/index.php/apps/accessibility">https://cloud.tniad.mil.id/index.php/apps/accessibility</a>
Method	GET
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/index.php/apps/accessibility">https://cloud.tniad.mil.id/index.php/apps/accessibility</a>
Method	GET
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
URL	<a href="https://cloud.tniad.mil.id/index.php/apps/accessibility">https://cloud.tniad.mil.id/index.php/apps/accessibility</a>
Method	GET
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
URL	<a href="https://cloud.tniad.mil.id/index.php/apps/accessibility">https://cloud.tniad.mil.id/index.php/apps/accessibility</a>
Method	GET
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/index.php/apps/accessibility/css">https://cloud.tniad.mil.id/index.php/apps/accessibility/css</a>
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)



Evidence	
URL	<a href="https://cloud.tniad.mil.id/index.php/apps/accessibility/css">https://cloud.tniad.mil.id/index.php/apps/accessibility/css</a>
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/index.php/apps/accessibility/css">https://cloud.tniad.mil.id/index.php/apps/accessibility/css</a>
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/index.php/apps/accessibility/css">https://cloud.tniad.mil.id/index.php/apps/accessibility/css</a>
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
URL	<a href="https://cloud.tniad.mil.id/index.php/apps/accessibility/css">https://cloud.tniad.mil.id/index.php/apps/accessibility/css</a>
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
URL	<a href="https://cloud.tniad.mil.id/index.php/apps/accessibility/css">https://cloud.tniad.mil.id/index.php/apps/accessibility/css</a>
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
URL	<a href="https://cloud.tniad.mil.id/index.php/apps/accessibility/css">https://cloud.tniad.mil.id/index.php/apps/accessibility/css</a>
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
URL	<a href="https://cloud.tniad.mil.id/index.php/apps/accessibility/css">https://cloud.tniad.mil.id/index.php/apps/accessibility/css</a>
Method	GET
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/index.php/apps/accessibility/css">https://cloud.tniad.mil.id/index.php/apps/accessibility/css</a>
Method	GET
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/index.php/apps/accessibility/css">https://cloud.tniad.mil.id/index.php/apps/accessibility/css</a>
Method	GET
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
URL	<a href="https://cloud.tniad.mil.id/index.php/apps/accessibility/css">https://cloud.tniad.mil.id/index.php/apps/accessibility/css</a>
Method	GET

Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
URL	<a href="https://cloud.tniad.mil.id/index.php/apps/accessibility/css">https://cloud.tniad.mil.id/index.php/apps/accessibility/css</a>
Method	GET
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/index.php/apps/theming">https://cloud.tniad.mil.id/index.php/apps/theming</a>
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/index.php/apps/theming">https://cloud.tniad.mil.id/index.php/apps/theming</a>
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/index.php/apps/theming">https://cloud.tniad.mil.id/index.php/apps/theming</a>
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/index.php/apps/theming">https://cloud.tniad.mil.id/index.php/apps/theming</a>
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
URL	<a href="https://cloud.tniad.mil.id/index.php/apps/theming">https://cloud.tniad.mil.id/index.php/apps/theming</a>
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
URL	<a href="https://cloud.tniad.mil.id/index.php/apps/theming">https://cloud.tniad.mil.id/index.php/apps/theming</a>
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
URL	<a href="https://cloud.tniad.mil.id/index.php/apps/theming">https://cloud.tniad.mil.id/index.php/apps/theming</a>
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
URL	<a href="https://cloud.tniad.mil.id/index.php/apps/theming">https://cloud.tniad.mil.id/index.php/apps/theming</a>
Method	GET
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/index.php/apps/theming">https://cloud.tniad.mil.id/index.php/apps/theming</a>

Method	GET
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/index.php/apps/theming">https://cloud.tniad.mil.id/index.php/apps/theming</a>
Method	GET
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
URL	<a href="https://cloud.tniad.mil.id/index.php/apps/theming">https://cloud.tniad.mil.id/index.php/apps/theming</a>
Method	GET
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
URL	<a href="https://cloud.tniad.mil.id/index.php/apps/theming">https://cloud.tniad.mil.id/index.php/apps/theming</a>
Method	GET
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/index.php/apps/theming/image">https://cloud.tniad.mil.id/index.php/apps/theming/image</a>
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/index.php/apps/theming/image">https://cloud.tniad.mil.id/index.php/apps/theming/image</a>
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/index.php/apps/theming/image">https://cloud.tniad.mil.id/index.php/apps/theming/image</a>
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/index.php/apps/theming/image">https://cloud.tniad.mil.id/index.php/apps/theming/image</a>
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
URL	<a href="https://cloud.tniad.mil.id/index.php/apps/theming/image">https://cloud.tniad.mil.id/index.php/apps/theming/image</a>
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
URL	<a href="https://cloud.tniad.mil.id/index.php/apps/theming/image">https://cloud.tniad.mil.id/index.php/apps/theming/image</a>
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	

URL	<a href="https://cloud.tniad.mil.id/index.php/apps/theming/image">https://cloud.tniad.mil.id/index.php/apps/theming/image</a>
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
URL	<a href="https://cloud.tniad.mil.id/index.php/apps/theming/image">https://cloud.tniad.mil.id/index.php/apps/theming/image</a>
Method	GET
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/index.php/apps/theming/image">https://cloud.tniad.mil.id/index.php/apps/theming/image</a>
Method	GET
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/index.php/apps/theming/image">https://cloud.tniad.mil.id/index.php/apps/theming/image</a>
Method	GET
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
URL	<a href="https://cloud.tniad.mil.id/index.php/apps/theming/image">https://cloud.tniad.mil.id/index.php/apps/theming/image</a>
Method	GET
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
URL	<a href="https://cloud.tniad.mil.id/index.php/apps/theming/image">https://cloud.tniad.mil.id/index.php/apps/theming/image</a>
Method	GET
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/index.php/core">https://cloud.tniad.mil.id/index.php/core</a>
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/index.php/core">https://cloud.tniad.mil.id/index.php/core</a>
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/index.php/core">https://cloud.tniad.mil.id/index.php/core</a>
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/index.php/core">https://cloud.tniad.mil.id/index.php/core</a>
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	

URL	<a href="https://cloud.tniad.mil.id/index.php/core">https://cloud.tniad.mil.id/index.php/core</a>
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
URL	<a href="https://cloud.tniad.mil.id/index.php/core">https://cloud.tniad.mil.id/index.php/core</a>
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
URL	<a href="https://cloud.tniad.mil.id/index.php/core">https://cloud.tniad.mil.id/index.php/core</a>
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
URL	<a href="https://cloud.tniad.mil.id/index.php/core">https://cloud.tniad.mil.id/index.php/core</a>
Method	GET
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/index.php/core">https://cloud.tniad.mil.id/index.php/core</a>
Method	GET
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/index.php/core">https://cloud.tniad.mil.id/index.php/core</a>
Method	GET
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
URL	<a href="https://cloud.tniad.mil.id/index.php/core">https://cloud.tniad.mil.id/index.php/core</a>
Method	GET
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
URL	<a href="https://cloud.tniad.mil.id/index.php/core">https://cloud.tniad.mil.id/index.php/core</a>
Method	GET
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/index.php/core/js">https://cloud.tniad.mil.id/index.php/core/js</a>
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/index.php/core/js">https://cloud.tniad.mil.id/index.php/core/js</a>
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)

Evidence	
URL	<a href="https://cloud.tniad.mil.id/index.php/core/js">https://cloud.tniad.mil.id/index.php/core/js</a>
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/index.php/core/js">https://cloud.tniad.mil.id/index.php/core/js</a>
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
URL	<a href="https://cloud.tniad.mil.id/index.php/core/js">https://cloud.tniad.mil.id/index.php/core/js</a>
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
URL	<a href="https://cloud.tniad.mil.id/index.php/core/js">https://cloud.tniad.mil.id/index.php/core/js</a>
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
URL	<a href="https://cloud.tniad.mil.id/index.php/core/js">https://cloud.tniad.mil.id/index.php/core/js</a>
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
URL	<a href="https://cloud.tniad.mil.id/index.php/core/js">https://cloud.tniad.mil.id/index.php/core/js</a>
Method	GET
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/index.php/core/js">https://cloud.tniad.mil.id/index.php/core/js</a>
Method	GET
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/index.php/core/js">https://cloud.tniad.mil.id/index.php/core/js</a>
Method	GET
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
URL	<a href="https://cloud.tniad.mil.id/index.php/core/js">https://cloud.tniad.mil.id/index.php/core/js</a>
Method	GET
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
URL	<a href="https://cloud.tniad.mil.id/index.php/core/js">https://cloud.tniad.mil.id/index.php/core/js</a>
Method	GET

Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/index.php/core/js/oc.js?v=6aa0d420">https://cloud.tniad.mil.id/index.php/core/js/oc.js?v=6aa0d420</a>
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/index.php/core/js/oc.js?v=6aa0d420">https://cloud.tniad.mil.id/index.php/core/js/oc.js?v=6aa0d420</a>
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/index.php/core/js/oc.js?v=6aa0d420">https://cloud.tniad.mil.id/index.php/core/js/oc.js?v=6aa0d420</a>
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/index.php/core/js/oc.js?v=6aa0d420">https://cloud.tniad.mil.id/index.php/core/js/oc.js?v=6aa0d420</a>
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
URL	<a href="https://cloud.tniad.mil.id/index.php/core/js/oc.js?v=6aa0d420">https://cloud.tniad.mil.id/index.php/core/js/oc.js?v=6aa0d420</a>
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
URL	<a href="https://cloud.tniad.mil.id/index.php/core/js/oc.js?v=6aa0d420">https://cloud.tniad.mil.id/index.php/core/js/oc.js?v=6aa0d420</a>
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
URL	<a href="https://cloud.tniad.mil.id/index.php/core/js/oc.js?v=6aa0d420">https://cloud.tniad.mil.id/index.php/core/js/oc.js?v=6aa0d420</a>
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
URL	<a href="https://cloud.tniad.mil.id/index.php/core/js/oc.js?v=6aa0d420">https://cloud.tniad.mil.id/index.php/core/js/oc.js?v=6aa0d420</a>
Method	GET
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/index.php/core/js/oc.js?v=6aa0d420">https://cloud.tniad.mil.id/index.php/core/js/oc.js?v=6aa0d420</a>
Method	GET
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/index.php/core/js/oc.js?v=6aa0d420">https://cloud.tniad.mil.id/index.php/core/js/oc.js?v=6aa0d420</a>

Method	GET
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
URL	<a href="https://cloud.tniad.mil.id/index.php/core/js/oc.js?v=6aa0d420">https://cloud.tniad.mil.id/index.php/core/js/oc.js?v=6aa0d420</a>
Method	GET
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
URL	<a href="https://cloud.tniad.mil.id/index.php/core/js/oc.js?v=6aa0d420">https://cloud.tniad.mil.id/index.php/core/js/oc.js?v=6aa0d420</a>
Method	GET
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/index.php/js">https://cloud.tniad.mil.id/index.php/js</a>
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/index.php/js">https://cloud.tniad.mil.id/index.php/js</a>
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/index.php/js">https://cloud.tniad.mil.id/index.php/js</a>
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/index.php/js">https://cloud.tniad.mil.id/index.php/js</a>
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
URL	<a href="https://cloud.tniad.mil.id/index.php/js">https://cloud.tniad.mil.id/index.php/js</a>
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
URL	<a href="https://cloud.tniad.mil.id/index.php/js">https://cloud.tniad.mil.id/index.php/js</a>
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
URL	<a href="https://cloud.tniad.mil.id/index.php/js">https://cloud.tniad.mil.id/index.php/js</a>
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	



URL	<a href="https://cloud.tniad.mil.id/index.php/js">https://cloud.tniad.mil.id/index.php/js</a>
Method	GET
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/index.php/js">https://cloud.tniad.mil.id/index.php/js</a>
Method	GET
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/index.php/js">https://cloud.tniad.mil.id/index.php/js</a>
Method	GET
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
URL	<a href="https://cloud.tniad.mil.id/index.php/js">https://cloud.tniad.mil.id/index.php/js</a>
Method	GET
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
URL	<a href="https://cloud.tniad.mil.id/index.php/js">https://cloud.tniad.mil.id/index.php/js</a>
Method	GET
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/index.php/js/core">https://cloud.tniad.mil.id/index.php/js/core</a>
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/index.php/js/core">https://cloud.tniad.mil.id/index.php/js/core</a>
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/index.php/js/core">https://cloud.tniad.mil.id/index.php/js/core</a>
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/index.php/js/core">https://cloud.tniad.mil.id/index.php/js/core</a>
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
URL	<a href="https://cloud.tniad.mil.id/index.php/js/core">https://cloud.tniad.mil.id/index.php/js/core</a>
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	

Evidence	
URL	<a href="https://cloud.tniad.mil.id/index.php/js/core">https://cloud.tniad.mil.id/index.php/js/core</a>
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
URL	<a href="https://cloud.tniad.mil.id/index.php/js/core">https://cloud.tniad.mil.id/index.php/js/core</a>
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
URL	<a href="https://cloud.tniad.mil.id/index.php/js/core">https://cloud.tniad.mil.id/index.php/js/core</a>
Method	GET
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/index.php/js/core">https://cloud.tniad.mil.id/index.php/js/core</a>
Method	GET
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/index.php/js/core">https://cloud.tniad.mil.id/index.php/js/core</a>
Method	GET
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
URL	<a href="https://cloud.tniad.mil.id/index.php/js/core">https://cloud.tniad.mil.id/index.php/js/core</a>
Method	GET
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
URL	<a href="https://cloud.tniad.mil.id/index.php/js/core">https://cloud.tniad.mil.id/index.php/js/core</a>
Method	GET
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/index.php/login">https://cloud.tniad.mil.id/index.php/login</a>
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/index.php/login">https://cloud.tniad.mil.id/index.php/login</a>
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/index.php/login">https://cloud.tniad.mil.id/index.php/login</a>
Method	GET

Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/index.php/login">https://cloud.tniad.mil.id/index.php/login</a>
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
URL	<a href="https://cloud.tniad.mil.id/index.php/login">https://cloud.tniad.mil.id/index.php/login</a>
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
URL	<a href="https://cloud.tniad.mil.id/index.php/login">https://cloud.tniad.mil.id/index.php/login</a>
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
URL	<a href="https://cloud.tniad.mil.id/index.php/login">https://cloud.tniad.mil.id/index.php/login</a>
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
URL	<a href="https://cloud.tniad.mil.id/index.php/login">https://cloud.tniad.mil.id/index.php/login</a>
Method	GET
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/index.php/login">https://cloud.tniad.mil.id/index.php/login</a>
Method	GET
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
URL	<a href="https://cloud.tniad.mil.id/index.php/login">https://cloud.tniad.mil.id/index.php/login</a>
Method	GET
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
URL	<a href="https://cloud.tniad.mil.id/index.php/login">https://cloud.tniad.mil.id/index.php/login</a>
Method	GET
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
URL	<a href="https://cloud.tniad.mil.id/index.php/login">https://cloud.tniad.mil.id/index.php/login</a>
Method	GET
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Instances	408

Solution	
Reference	<a href="https://owasp.org/wstg">https://owasp.org/wstg</a>
CWE Id	
WASC Id	
Plugin Id	<a href="#">10104</a>